SEAMASTER

PRODUCT CATALOGUE





Seamaster provides a wide range of products and services to support the aquaculture, commercial fishing, and marine industries.

With the world's ever-growing demand for seafood, our unwavering commitment is to equip our customers, who brave the ocean's challenges day in and day out, with premium, durable products to ensure their success.

Seamaster is the trusted partner of choice for a diverse clientele, including aquaculture and marine operators, commercial and sport fishermen, processing factories and retail, all of whom rely on us for quality fishing, marine, and aquaculture solutions.

Within our extensive catalogue, you'll find a comprehensive range of products tailored to the specific needs of the aquaculture, commercial fishing, and marine industries. Whether you're involved in the tuna, salmon, or kingfish sectors, oyster and mussel farming, prawn fishing, rock lobster and longline operations, sport and game fishing, processing facilities, or retail, Seamaster has you covered.

Our streamlined logistics ensure efficient equipment delivery from manufacturers, minimizing freight costs. In addition to supplying high quality fishing gear and tackle, we work closely with our customers to supply the aquaculture industry with:

- Fish pens
- Mooring systems & hardware
- Rope
- Net weights
- Hooks
- Boating accessories
- Floats & lease markers
- Mortality collectors
- Safety & Personal Protective Equipment

We also offer additional services, including rope splicing, custom-made rigs, and mooring design and implementation. Our rotational moulded products, such as bins, floats, buoys, markers, and sea cage stanchions, are designed for various marine and aquaculture applications.

Our in-house splicing specialists stand ready to assist with custom rope orders, utilizing materials like nylon, polypropylene, and polyester to suit projects of any size, from intricate mooring systems to rigging up a cray pot buoy or vessel mooring line. We offer a wide range of rope thicknesses and lays to meet your specific requirements.


At Seamaster, our dedicated, skilled, and knowledgeable team spans Tasmania and South Australia, boasting years of experience in the fishing and marine industry. Whether you need rope splicing expertise, a complete mooring system installation, or insider tips on where to land the biggest tuna, you can trust our passionate team to provide the best advice and assistance in the industry.

Choose Seamaster as your trusted supplier for durable products for harsh environments to meet all your aquaculture, commercial fishing, marine and mooring needs.

CONTENTS

01	Anodes 006	05	Floats & Fenders	058	12	Safety 14
Τ'	> Cray Pot		> Mooring Buoys			> General Safety Equipment
	> Rudder		> Deepsea Pressure Floats			> Flares
	> Block		> Aquaculture Floats and Markers			> Life Jackets
	> Block with Strap		> Foam Floats			> Hydrostatic Release Units for Life Rafts
	> Engine Anode		> QE NZ Floats			
	> Shaft		> Polyform Inflatable		13	Fish Pen & Mooring
			> Marine Construction Float		-	Equipment
02	Boating Hardware		> Heavy Duty Ship Fenders			> Bird Net Stands
_	& General Chandlery 012		> Fender Covers			> Anchors for Mooring Systems
	> Marine Pumps		> Accessories			> Marine Markers
	> Marine Engine Fuel Fittings					> Mooring Blocks
	> Skin Fittings, Bungs and Scuppers	06	Lighting	. 064		> Grid Floats
	> Hose		> Hand Held Lights			> Airfoss - Mortality Removal Unit
	> Oars, Paddles and Boat Hooks		> Navigation Lights			> Net Weights and Diverless
	> Marine Sealants		> Solar Powered Navigation Aids			Net Weight Hooks
	> Tube Clips		> Fixed Work and Spotlights			> Quadrants
	> Cleats and Bollards					> Shackles and Chain
	> Engine Controls and Cables	07	Electrical	. 068		> Mooring Grid System Ropes
	> Tapes and Miscellaneous Items		> Radio and Aerials			> Stanchions
	> Winches and Trailer Rollers		> Batteries			> Tow Floats
	> Hinges and Latches		> Electric Winches			> Thimbles
	> Fishing Rod Holders		> Switches, Sockets and Accessories	s		> Thirdies
	> Cable Ties				14	Shellfish 16
	> Inspection Ports	NR	Mooring & Rigging			> Hexcyl Products & Mesh
	- mapeediant arts		Hardware	072		> Mussel Rope
03	Chemicals & Cleaning		> Anchors	. 0, 2		> Mussel Nope
UU	Products 022		> Chain		15	Storage 17
	> Chemical Cleaners		> Shackles		10	> Collapsible Bins
	> Lubricants		> Stainless Steel Hardware			> Insulated Bins
			> Thimbles			> Non-Insulated Bins, Buckets, Crates,
	> Cleaning Accessories		> Trimbles			Trays and Drums
	> Jotun Paint	NQ	New Era Tanks	088		> Pallets
	> West System Epoxy Resin		> Petrol Tanks 23 - 150 Litre	. 000		> Polybench
n_{L}	Fishing Gear 026		> Diesel Tanks 23 - 150 Litre			> Spill Bunds
דט	> Cray Pots and Accessories		> Water Tanks 35 - 150 Litre			> Spill Bullus
			> Tank Extras		16	Seamaster Premium
	> Crimping Tools		> Live Bait Tanks			Products 19
	> Crimping Tools		> Berley Buckets			> Become a stockist
	> Crimping Dies		> Defley Buckets			
	> Gaffs, Spears, Tail Ropes and	10	Protective Clothing	110		
	Landing Nets	10	> Aprons			
	> Asano Equipment		> Headwear			
	> Norwegian Boss Equipment		> Eyewear			
	> Hooks		> Gloves			
	> Knives and accessories		> Boots and Gumboots			
	> Underwater / Strobe Lights		> Waders			
	> Luminous Beads, Sleeves and Tubing		> Wet Weathers			
	> Lures		> Waterproof Gear Bag			
	> Monofilament and Braid		> waterproof dear bag			
	> Other Monofilament Line Products	11	Rope & Cordage	129		
	> Netting		> 3 Strand	120		
	> Rods and Reels					
	> Rigging		> 8 Strand			
	> Professional Squid Gear		> 12 Strand			
	> Sinkers		> Lead Core			
	> Tuna Oil		> Braid			
	> Terminal Tackle		> Twine			
	> Swivels		> Working Tools			

The second secon		
	01	Anodes
	02	Boating Hardware & General Chandlery
	03	Chemicals & Cleaning Products
	04	Fishing Gear
14	05	Floats & Fenders
	06	Lighting
	07	Electrical
	08	Mooring & Rigging Hardware
	09	New Era Tanks
	10	Protective Clothing
	11	Rope & Cordage
	12	Safety
	13	Fish Pen & Mooring Equipment
	14	Shellfish
MAL	15	Storage
ALU ETW	16	Seamaster Premium Products



Seamaster stocks an extensive range of anodes to suit many applications.

Shaft and pencil anodes, block anodes with or without straps, rudder anodes and anodes for thrusters, are used for cathodic protection of your vessel.

- Protect your craft from hash environments
- Made in Australia from quality materials

CRAY POT



PRODUCT CODE	DESCRIPTION	WIRE LENGTH	LENGTH	WEIGHT (KG)	INSERT DIMENSIONS
AMAC007	Cray pot	400mm	175mm	1.0	Gal wire 2.5mm
AND058	Cray pot	500mm	220mm	2.1	Gal wire 3mm
AND002	Alloy pot	500mm	220mm	0.8	Gal wire 3mm

RUDDER



PRODUCT CODE	DESCRIPTION	DIAMETER	HEIGHT	NOMINAL GROSS WEIGHT (PAIR) (KG)
AMAC009	Rudder (pair)	70mm	19mm	0.32
AMAC010	Rudder (pair)	100mm	21mm	0.64
AMAC011	Rudder (pair)	120mm	25mm	1.2

BLOCK



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)
AMAC002	Teardrop	85mm L, 42mm W, 15mm H	0.2



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)
AMAC012	Rectangle	150mm L, 70mm W, 35mm H	2.1
AMAC020	Rectangle	150mm L, 75mm W, 25mm H	2.0



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)	INSERT DIMENSIONS
AMAC014	Oval	315mm L, 130mm W, 35mm H	6.4	150mm ctrs



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)
AMAC021	Square	75mm L, 75mm W, 25mm H	1.0
AMAC019	Square	150mm L, 150mm W, 25mm H	4.0



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)
AMAC024	Square with hole	75mm L, 75mm W, 25mm H	1.1



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)	INSERT DIMENSIONS
AMAC037	Rectangle with holes	200mm L, 100mm W, 21mm H	2.8	55dia dish
AMAC039	Rectangle with holes	300mm L, 100mm W, 50mm H	7.8	260x40x6 MS

BLOCK WITH STRAP





PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)	INSERT DIMENSIONS
AMAC003	Teardrop	140mm L, 62mm W, 32mm H	1.0	240x25x3 MS
AND013	Teardrop	140mm L, 62mm W, 32mm H	1.0	240x25x3 MS
AMAC004	Teardrop	160mm L, 80mm W, 40mm H	1.7	260x25x3 MS
AND016	Teardrop	160mm L, 80mm W, 40mm H	1.7	260x25x3 MS
AMAC005	Teardrop	220mm L, 75mm W, 40mm H	2.2	320x25x6 MS
AND017	Teardrop	220mm L, 75mm W, 40mm H	2.2	320x25x6 MS



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)	INSERT DIMENSIONS
PL0106 CDZ8-10S	Oval	250mm L, 125mm W, 38mm H	7	405x32x5mm
AMAC015	Oval	200mm L, 150mm W, 30mm H	8.6	440x40x6 MS
AMAC017	Oval	350mm L, 150mm W, 35mm H	10.6	500x40x6 MS
AMAC016	Oval	300mm L, 150mm W, 50mm H	12.0	440x40x6 MS



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)	INSERT DIMENSIONS
AMAC027	Square	75mm L, 75mm W, 25mm H	1.0	275x25x3 MS
AND005	Square	155mm L, 155mm W, 25mm H	4.0	275x25x3 MS
AMAC025	Square	150mm L, 150mm W, 28mm H	4.1	260x25x3 MS



PRODUCT CODE	DESCRIPTION	DIMENSIONS	NOMINAL GROSS WEIGHT (KG)	INSERT DIMENSIONS
AMAC026	Rectangle	150mm L, 75mm W, 25mm H	2.1	250x25x6 MS
AMAC029	Rectangle	285mm L, 80mm W, 40mm H	5.0	135x25x6 MS

ENGINE ANODE





PRODUCT CODE	DESCRIPTION	THREAD	OVERALL LENGTH (MM)	EXPOSED LENGTH (MM)	WEIGHT (g)
AND055	Anode Only CDZ9-004	7/16" UNC	63	50	70
AND056	Anode Only CDZ9-035	3/8" UNC	62	52	40
AND057	Anode Only CDZ9-038	1/2" UNC	99	86	160
AND064	Anode Only CDZ9-033	5/16" UNC	54	44	20
AND070	Anode Only CDZ9-009	5/8" UNC	57	44	100
AND079	Anode Only CDZ9-001	M-8	41	30	70
AND080	Anode Only CDZ9-003	1/4" UNC	69	57	30
AND081	Anode Only CDZ9-005	3/8" UNC	76	53	100
AND082	Anode Only CDZ9-006	5/8" UNC	97	82	180
AND086	Anode Only CDZ9-038	1/2" UNC	67	51	110

PRODUCT CODE	DESCRIPTION	THREAD	OVERALL LENGTH (MM)	EXPOSED LENGTH (MM)	WEIGHT (g)
AND071	w/ Brass Plug CDZ9-032	P-1/4" BSP A-5/16" UNC	60	44	40
AND083	w/ Brass Plug CDZ9-034	P-3/8" BSPT A-3/8" UNC	73	52	70
AND084	w/ Brass Plug CDZ9-036	P-1/2" BSPT A-7/16" UNC	76	51	130
AND085	w/ Brass Plug CDZ9-037	P-3/4" BSPT A-1/2" UNC	78	51	210
AND096	w/ Brass Plug CDZ9-063	P-1/8" BSPT A-1/4" UNC	62	48	20

SHAFT







PRODUCT CODE	DESCRIPTION	INSIDE DIAMETER (MM)	OUTSIDE DIAMETER (MM)	ANODE LENGTH (MM)	NOMINAL GROSS WEIGHT (KG)
AND018	1"	25.40	58	52	0.47
AND019	1" Donut	25.40	64	33	0.53
AND020	1 18"	28.44	70	64	1.00
AND021	1 1/4"	31.75	70	64	0.95
AND022	1 3/8"	34.80	70	64	0.90
AND023	1 1/2"	38.10	70	64	0.80
AND024	1 1/2" Donut	38.10	76	33	0.65
AND025	1 3/4"	44.45	84	68	1.15
AND026	2" Heavy Duty	50.80	103	120	4.60
AND027	2 1/4"	57.15	103	120	4.30
AND028	2 1/2"	63.50	103	120	3.70
AND029	2 3/4"	69.85	116	130	5.60
AND030	3"	76.20	116	130	5.00
AND031	3 1/2"	88.90	138	164	8.80
AND032	3/4"	19.05	58	52	0.55
AND033	3/4" Donut	19.05	54	25	0.30
AND034	7/8"	22.09	58	52	0.50
AND087	1 3/4" Donut	44.45	100	35	1.40
AND060	2"	50.80	64	68	1.15
AND089	50mm	50.00	84	68	1.60

02 BOATING HARDWARE & GENERAL CHANDLERY



Through its vast supplier network, Seamaster has access to an enormous range of marine chandlery items, boat hardware and fittings to keep your vessel in service and operational.

Listed below are a range of common items that are kept in stock for your convenience. If what you are looking for is not listed, please ask our sales staff and they can source it for you.

MARINE PUMPS

A large range of all major brand pumps to suit many different liquid transfer applications.



BHW619

Diesel Transfer 50LPM 24V Inlet/Outlet 25mm



BHW586

Jabsco Oil Change System 12/24V Inlet/Outlet 13mm













PL1576

Rule pump 360Gph



PL1577

Rule pump

500Gph

PL1579

Rule pump 12V

800Gph

Rule pump 24\/ 500Gph

PL1578

PL1580

Rule pump 24V 800Gph



BHW648

Rule Bilge Pump 1100Gph 12V Inlet/Outlet 28mm











BHW326

Rule Bilge Pump 1500Gph 12V Inlet/Outlet 28mm

BHW485

Bilae Pump

1500Gph 24V

Inlet/Outlet 28mm

Rule

BHW486

Rule Bilge Pump 2000Gph 12V Inlet/Outlet 28mm

BHW487

Bilge Pump

2000Gph 24V

Inlet/Outlet 28mm

Rule

Rule Bilge Pump Auto 2000Gph 12V

Inlet/Outlet 28mm

BHW892

Rule Inline Submersible IL200 12LPM 12V Inlet/Outlet 13mm

BHW318





Rule Float Switch 14amp 12-24V



BHW488

Rule Float Switch 20amp 12-36V



BHW641

Seaflo Bilge Pump 500Gph 12V Inlet/Outlet 20mm



BHW880

Seaflo Bilge Pump 750Gph 12V Inlet/Outlet 20mm



BHW643

Seaflo Bilge Pump Auto 750Gph 12V Inlet/Outlet 20mm



BHW642

Seaflo Bilge Pump 1100Gph 12V Inlet/Outlet 28mm



BHW852

Seaflo Bilge Pump 1500Gph 12V Inlet/Outlet 28mm



BHW644

Seaflo Bilge Pump 2000Gph 24V Inlet/Outlet 28mm



BHW645

Seaflo Float Switch 20amp 12-24V



BHW316

AAA Manual Bilge Pump 35LPM Inlet/Outlet 25/38mm



BHW502

AAA Manual Bilge Pump S/S Handle 55LPM Inlet/Outlet 25/38mm



BHW460

Whale Manual Bilge Pump Gusher Urchin 47LPM Inlet/Outlet 22/38mm



BHW639

Whale Manual Bilge Pump Gusher 30 117LPM Inlet/Outlet 38mm



GCH211

Beckson Manual Bilge Pump 16" 20LPM Inlet/Outlet 50mm



BHW513

Jabsco Pressure Pump Parmax 2.9 2.9GPM 12V Inlet/Outlet 13mm



BHW425

Jabsco Washdown Kit Parmax 4.0 4.0GPM 12V Inlet/Outlet 13mm



BHW492

Jabsco Washdown Pump Hotshot 6 6.0GPM 12V Inlet/Outlet 20mm



BHW646

Seaflo Washdown Kit 5 5.0GPM 12V Inlet/Outlet 13mm

MARINE ENGINE FUEL FITTINGS

Fuel lines, filters, fillers and associated connections to fit most makes and models of marine outboard and inboard engines.



BHW250

Fuel Line Fitting Mercury '99 to date



BHW252

Fuel Line Fitting Mercury / Yamaha Old style



GCH063

Fuel Line Fitting Evinrude / Johnson OMC Style



GCH059

Fuel Line Assembly Standard No Fittings



BHW253

Fuel Line Assembly Premium No Fittings



BHW256

Fuel Tank Fitting Mercury '99 to date



BHW257

Fuel Tank Fitting Mercury / Yamaha Old Style



BHW255

Fuel Tank Fitting Evinrude / Johnson OMC Style



BHW900

Fuel line Primer Bulb 8/10mm Premium



BHW901

Fuel Line Primer Bulb 8mm Standard



GCH047

Fuel Filter Assembly alloy Head / Clear Bowl Merc style



GCH048

Fuel Filter to Suit Clear Bowl Merc Style



GCH046

Outboard Motor Flushers Large Rectangular



BHW544

Outboard Motor Flushers Small Round



GCH123

Outboard Motor Flushers Twin Intake



BHW011

Deck Fuel Filler 50mm Black Nylon



PL0479

Deck Fuel Filler 38mm Black Nylon



BHW371

Fuel Breather 16mm Black Nylon

SKIN FITTINGS, BUNGS AND SCUPPERS

Available in white nylon and stainless steel, used for water discharge outlets through the hull.



BHW656

Large Alloy Scupper













BHW404

Skin Fitting White Acetal Nylon 13mm

BHW405 Skin Fitting White Acetal Nylon

16mm

BHW309

Skin Fitting White Acetal Nylon 19mm



Skin Fitting White Acetal Nylon 25mm

BHW551

Skin Fitting White Acetal Nylon 32mm

BHW552

Skin Fitting White Acetal Nylon 38mm











BHW319

Skin Fitting Stainless 19mm

BHW320

Skin Fitting Stainless Steel 25mm

BHW317

Standard Coarse **Thread Bung** Complete

BHW799

Standard Coarse Thread Bung Only

BHW424

Large Bung Only TENOB

PL0503

Medium Bung Complete TENOB 25mm



Quality PVC and rubber hoses for water, air and fuel. Manufactured to meet appropriate standards where required.



HSP041

Drinking Water 12_{mm}













HSP036

Flexible Bilge 20mm



HSP037

Flexible Bilge 25mm



HSP039

Diving Air 8_{mm}

HSP040

Diving Air 10mm

HSP042

Fuel Filler 38mm





HSP038

28_{mm}

Flexible Bilge





HSP043

Fuel Filler 51mm



HSP044

Fuel Line 8mm



HSP045

Fuel Line 10mm



HSP046

Wash Down 25mm



HSP047

Wash Down 32mm



HSP048

Wash Down 38mm

OARS, PADDLES AND **BOAT HOOKS**



GCH035

Boat Hook Heavy **Duty Timber** 1.8m



BHW314

Boat Hook Head Only Black Nylon 25mm



Boat Hook Head Only Black Nylon 30mm



BHW410

Pine Oars 5 1/2ft



BHW495

Pine Oars 6ft



BHW496

Pine Oars



BHW585

Pine Oars 8ft



BHW604

Pine Oars 9ft



BHW276

Rubber Oar Stops 41mm



BHW540

Rubber Oar Stops



BHW306

Rowlocks Open Type (Pair) 10mm



BHW307

Rowlocks Ring Type (Pair) 12mm



BHW281

Paddle Economy Alloy/Plastic 1.2m



BHW282

Paddle Telescopic 1.07m



GCH034

Boat Hook Telescopic 1.2m - 2.1m

MARINE SEALANTS

We stock a select range of FixTech and Sikaflex sealants for general purpose marine use. FixTech is used all around the globe from the searing heat of the deserts in the Middle East to the freezing cold of Antarctica.



FIX01

Fix15 Multi-Purpose Sealant - White 290ml Cartridge



FIX02

Fix15 Multi-Purpose Sealant - Black 290ml Cartridge



FIX05

Fix15 Multi-Purpose Sealant - Grev 290ml Cartridge



FIX03

Fix15 Multi-Purpose Sealant – White 600ml Sausage



FIX07

MSP190 Structural White 290ml Cartridge



FIX08

MSP190 Structural Black 290ml Cartridge



FIX09

MSP190 Structural 600ml Sausage



PL1911

Sikaflex 291 White Marine Sealant 310ml Sausage



PL1909

Sikaflex 291 Black



Marine Sealant 310ml Sausage

TUBE CLIPS

UV resistant black nylon and available in a number of sizes, tube clips are very useful for securing round poles and handles of paddles, boat hooks and gaffs.



BHW397

Tube Clip Black Nylon 15mm





BHW399

Tube Clip Black

Nylon 25mm









BHW398

Tube Clip Black Nylon 20mm



BHW400

Tube Clip Black Nylon 30mm

BHW401

Tube Clip Black Nylon 35mm

BHW402

Tube Clip Black Nylon 40mm

BHW403

Tube Clip Black Nylon 45mm

CLEATS AND BOLLARDS

UV resistant black nylon, polished stainless steel and durable alloy cleats and bollards for securing your vessel.













BHW236

Nylon Cleat **Black** 110mm



Black

145mm

BHW495 BHW237 Nylon Cleat Nylon Cleat

Black

180mm

BHW238 Nylon Cleat Black 210mm

BHW209

BHW240

BHW241 Stainless Steel Stainless Steel Slimline Cleat Slimline Cleat 100mm 155mm









BHW242

Stainless Steel Slimline Cleat 250mm



BHW336 Nylon Jam Cleat Small 3-6mm

BHW337

Nylon Jam Cleat Alloy Dock Cleat Large 6-12mm 250mm

BHW007 Alloy Dock Cleat 350mm

Cam Cleat Medium 3-12mm

BHW233



BHW348

Bollard Alloy 80mm



BHW504

Bollard Stainless Steel



BHW613

Bow Roller Stainless Steel

ENGINE CONTROLS AND CABLES

Single and twin lever controls are available to suit your engine requirements. 30 and 40 series cables are ordered at the customers requested length.



BHW491

Engine Controls NB Series Twin lever



BHW882

Engine Controls NB Series Single lever



BHW883

Engine Controls KB Series Twin lever



BHW841

Engine Controls Seastar Hydraulic



BHW920

Engine Controls MT-3 Twin lever



BHW478

Engine Control Cable 33C Custom Length



BHW420

Engine Control Cable 40 Series Custom Length

TAPES AND MISCELLANEOUS ITEMS



PL4046

Only sold per metre Croc Grip Tape 48mm



PL2278/9

Only sold per metre Grip Tape (3M) 25 & 50mm



GCH150

Exhaust Lagging 50mm x 30m



GCH214

Denso Tape 50mm x 10m



GCH212

Neoprene Hatch Seal 12mm x 3mm



GCH149

Neoprene Hatch Seal 25mm x 6mm



GCH213

Neoprene Hatch Seal 25mm x 20mm




GCH162

Horse Float Rubber Deck Mat 1830mm x 1230mm x 8mm



GCH147

Tube Tread Matting Per metre - Blue 900mm wide



GCH500

Tube Tread Matting Per metre - Grey 900mm wide



BHW557

Non Skid Tape Per Metre – Black 50mm wide



BHW884

Sail Repair Kit



GCH502

PVC Inflatable Boat Repair Kit



GCH503

Hypalon PVC Inflatable Boat Repair Kit



PL2281 (per roll)

Thread Tape (10g) 12mm x 10m 52mm diameter



PL2275 (10 roll pack)

Electrical Tape (805g) 19mm x 20m (each) 75mm diameter



ELC091 (per roll)

Eletrical Tape (80g) 19mm x 20m 75mm diameter



PL2272 (per roll)

Duct Tape Grey (240g) 25mm x 30m 125mm diameter



PL2271 (per roll)

Duct Tape Black (450g) 48mm x 30m 105mm diameter



PL2280 (per roll)

Black Scarpa Cloth Tape (270g) 25mm x 30m 155mm diameter



PL1626 (per roll)

Also sold per metre (PL1628) Reflective Tape (440g) 50mm x 23m 120mm diameter



SFT017 (per roll)

Also sold per metre (PL1630) YELLOW Reflective Tape (440g) 50mm x 23m 120mm diameter



SFT016 (per roll)

RED Reflective Tape (440g) 50mm x 23m 120mm diameter



PL1624 (per roll)

Also sold per metre (PL1625) HONEYCOMB Reflective Tape (440g) 50mm x 46m 120mm diameter



PL2270 (per roll)

Denso Tape (930g) 75mm x 10m 145mm diameter



PL2268

Only sold per metre Non-slip Tape 48mm



WINCHES AND TRAILER ROLLERS



BHW568

Ratchet Strap S/S Medium Duty 50mm



BHW311

Trailer Winch Economy 3:1 350kg



BHW312

Trailer Winch Economy 4:1 635kg



BHW426

Trailer Winch Stainless Steel 900kg



BHW576

Trailer Winch Premium Atlantic 500kg



BHW773

Trailer Winch Premium Atlantic 1500kg



GCH029

Winch Handle Replacement Hex Head 7/8" 22mm



BHW310

Winch Strap Replacement 6m x 50mm



BHW295

Black Rubber **Bow Roller** 78mm



BHW296

Black Rubber Dog Bone Roller 201mm



BHW297

Black Rubber Keel Roller 113mm



BHW298

Black Rubber Keel Roller 152mm



BHW299

Black Rubber Keel Roller 201mm



BHW300

Red Soft Poly Keel Roller 113mm



BHW301

Red Soft Poly Keel Roller 148mm



BHW302

Red Soft Poly Keel Roller 203mm



BHW303

Red Soft Poly Self Centring Roller 153mm



BHW304

Red Soft Poly Bow Roller 49mm







BHW305

Wobble Roller Grey



BHW339

Blue Hard Poly Keel Roller



BHW340

Blue Hard Poly Keel Roller



BHW341

Blue Hard Poly Keel Roller



BHW342

Blue Hard Poly Keel Roller 8"



BHW343

Black Rubber Bow Wedge Large



BHW344

Black Rubber Bow Wedge Small

HINGES AND LATCHES













BHW206 Nylon Hinge White 60mm x 37mm

Nylon Hinge Bĺack 60mm x 37mm

BHW262

Nylon Butt Hinge Black 101mm x 59mm

BHW263

Nylon Butt Hinge Bĺack 64mm x 35mm

BHW264

Nylon Butt Hinge Bĺack 76mm x 41mm

BHW265

Stainless Steel Butt Hinge 104mm x 75mm

BHW266

BHW267

Stainless Steel **Butt Hinge** 75mm x 48mm BHW269

Stainless Steel Strap Hinge 177mm x 43mm BHW363

Flush Polycarbonate Latch Black

BHW232

Cam Action Hatch Fastener Stainless Steel 85mm

BHW637

Cam Action Hatch Fastener Stainless Steel 145mm

FISHING ROD HOLDERS



BHW286

Rod & Knife Storage Holder Vertical



BHW287 Adjustable Nylon Rod Holder



BHW288

Flush Angled Rod Holder Black



BHW289

Flush Angled Rod Holder White



BHW290

Flush Straight Rod Holder White



BHW291

Rail Mount Rod Holder Stainless Steel



BHW292

Side Mount Rod Holder Black



BHW293

Side Mount Rod Holder White



BHW294

Rod Storage Holder Horizontal



BHW395

Flush Angled Rod Holder Stainless



BHW396

Flush Straight Rod Holder Stainless



BHW775

Rod Holder **Extension Stainless**



BHW798

Snapper Rack Rod Holder

CABLE TIES

We have a range of quality UV stabilised cable ties from 100mm total length up to 550mm.



PRODUCT CODE	LENGTH (MM)	WIDTH (MM)	QTY PER BAG
CT102B	100	2.5	100
GCH002	100	2.5	1,000
PL0279	140	3.6	1,000
CT143B	150	3.6	100
PL0281	160	2.5	1,000
CT160SB	160	4.8	100
PL0280	160	4.8	1,000
CT165B	165	2.5	100
GCH005	200	4.8	100

PRODUCT CODE	LENGTH (MM)	WIDTH (MM)	QTY PER BAG
CT194B	203	4.6	100
CT200B	203	7.6	100
CT280B	300	4.8	100
GCH006	300	4.8	100
GCH007	370	7.6	300
СТ373В	380	7.6	100
СТ370В	385	4.8	100
CT550B	550	7.6	100

INSPECTION PORTS







Inspection Port White		
PRODUCT CODE	SIZE (MM)	
BHW379	100	
BHW381	125	
BHW383	150	



Inspection Port	Black
PRODUCT CODE	SIZE (MM)
BHW380	100
BHW382	125
BHW384	150

21



Seamaster carries a range of chemicals to keep your vessel in great condition and your gear clean.

Acid wash for decks, chlorinated agents for processing areas and citrus based cleaners and heavy-duty degreaser for the bilge. For marine paints and fibreglass products, Seamaster are authorised resellers of Jotun Marine paints. Brooms, brushes and scouring pads are also available.

• All products can be supplied with an MSDS on request.

CHEMICAL CLEANERS





CHM115

20ltr







Sierra Citrus 6000 Cleaner& Degreaser 5ltr (AQIS Approved)

Sierra Citrus 6000 Cleaner & Degreaser 20ltr (AOIS Approved)

CHM095



Sierra Citrus Wash

Cleaner & Degreaser

Sierra Acid Wash Cleaner 5ltr

CHM122



Sierra Acid Wash

Cleaner 20ltr

CHM117 Sierra Deck Wash Acid 5ltr













CHM116 Sierra Deck Wash Acid 20ltr

CHM111 Sierra Detox Fiberalass Polish 1ltr

Sierra Detox Fiberalass Polish 5ltr

CHM112

Sierra Night Glaze Finishing Polish 1ltr

CHM113

Sierra Night Glaze Finishing Polish 5ltr

CHM114

Septone Drifter Gelcoat Cleaner and Stain Remover 20L

PL0377











PL0337

Septone Drifter Gelcoat Cleaner and Stain Remover 5L

Septone Ali Brite Aluminium and Stainless Steel Cleaner 20L

Septone Ali Brite Aluminium and Stainless Steel

PL0338

Cleaner 5L

Bondall Ranex Rustbuster Rust Converter 500ml

PL0364

Bondall Ranex Rustbuster Rust

PL2784

Bondall Ranex Rustbuster Rust Converter 20L

PL0365

LUBRICANTS



CHM087

Lanolin Grease 201















PL0343

Ballistol Cleaner and Lubricant 400ml Aerosol

PL0350

Inox Lubricant 300g Aerosol



CRC Soft Seal Surface Film 300g Aerosol



Silicon Spray Series 500 Protectant 330g Aerosol

PL0353

CRC Marine 66 Lubricant and Protectant 300g Aerosol

PL0383

Vuplex Cleaner for Plastic and PVC 200g Aerosol





Rain-X Water Repellent 207ml Bottle



PL4236

Rain-X Water Repellent 473ml Trigger Spray



СНМ069

Outboard 2 Stroke Oil 4L



CHM070

Outboard 2 Stroke



CHM071

Outboard Gear Oil 500ml



CHM074

Grease Premium Marine Cartridge Gulf Western

CLEANING ACCESSORIES



CLN002

Bag of Rags - 10kg Mixed









FSH1337







BHW678

Broom Handle 1300mm Aluminium to suit broom heads



BHW679

Broom Head White Tank Hard 205mm



BHW680

Broom Head White Hard 325mm



FSH1338

Ice Shovel 270mm Ice Shovel Straight Plastic Standard Handle Small Blade Handle



PL1903

Shovel Stainless Steel Head with Timber Handle













PL1907

Shovel Vikan Ice Plastic with Drain

PL1906

Shovel Vikan Long Handle with 11"

Shovel Fjord Plastic

PL3748

14" Blade

PL0264

Oates Light Sweep Soft Broom with Wooden Handle

PL0263

Oates Deck Scrub Broom with Steel

PL0513

Oates Sure Grip Dustpan Set

JOTUN PAINT













CHM026

Jotun Seavictor
Antifouling 5 Litre

Jotun Seavictor Antifouling 5 Litre Black

CHM027

Jotun Seasafe Ultra Antifouling 5 Litre Black

CHM034

Jotun Seagaurdian Antifouling 5 Litre Black

CHM035

Jotun Seagaurdian Antifouling 5 Litre Red

CHM119

CHM040

Jotun Seagaurdian
Antifouling 10 Litre
Black

OTUN.

CHM049

Jotun Seagaurdian
Antifouling 10 Litre



CHM121

Jotun Seagaurdian
Antifouling 10 Litre



CHM029

Jotun Vinyguard 88

Primer 5 litre

WEST SYSTEM EPOXY RESIN













FBG0011
West System Epoxy
Resin 4 Litre

West System Epoxy Resin 1 Litre

FBG0012

FBG0013
West System Epoxy
Resin 500ml

West System Epoxy Hardener 800ml

FBG0014

West System Epoxy Hardener 200ml

FBG0015

West System Epoxy Hardener 100ml

FBG0016

04 FISHING GEAR

- > Cray pots and Accessories
- > Crimps
- > Crimping Tools
- > Crimping Dies
- > Gaffs, Spears, Tail Ropes and Landing Nets
- > Asano Equipment
- > Norwegian Bass Equipment
- > Hooks
- > Knives and Accessories
- > Underwater / Strobe Lights
- > Luminous Beads, Sleeves and Tubing
- > Lures
- Monofilament and Braid
- > Other Monofilament Line Products
- > Netting
- > Rigging
- > Professional Squid Gear
- > Sinkers
- > Tuna Oil
- > Terminal Tackle
- > Swivels
- > Stainless Steel Wire

Seamaster team are The passionate lifelong fisherman. We carry only the best and most reliable fishing gear for commercial and recreational fishing.

Whether its dropping pots, longline or drop line, beach fishing, estuary or game fishing, right through to commercial trawling, if your income relies on your catch, Seamaster have high quality gear that won't let you down.

CRAY POTS AND ACCESSORIES

We stock a range of tea tree and steel cray pots and all the related equipment for you to fish efficiently, whether professionally or recreationally.









FSH1392

22kg

Steel Cray Pot





FSH0836
Cane Cray Pot



Steel Cray Pot

Galvanised

FSH1391

Steel Cray Pot



FSH1393 Steel Cray Pot 20kg

PL0410

Cray Pot

Recreational SA regulation











PLU413
Seal Exclusion device S/S fold down





Anode for Cray Pot CDA-0 380a

PL0073

Anode for Cray Pot CDA-000 800a

PL0074

Zinc Cray Pot Anode 1.07ka 3mm wire

AMAC007













FSH0046 Cray Pot Neck Black Plastic

Cray Pot Neck Red Plastic

FSH0047

FSH0113

Cray Pot Toggle

White Plastic


Cray Pot Toggle Wooden

PL0423

Cray Pot Mesh PE Braided 4mm x 7.5 MD x 100m Bundle

NET091

Cray Pot Mesh PE Braided 4mm x 7.5MD Per Metre



CRIMPS

We offer a wide range of copper and aluminium crimps to suit the full suite of monofilament and wire diameters. Copper crimps are best used in conjunction with wire, with aluminium best suited for swaging monofilament and fluorocarbon leader lines. Popular with both commercial and recreational fishers.







Alloy Single Long Crimp (18mm total length)			
PRODUCT CODE	SIZE	QUANTITY	
FSH0108	1.5mm	1,000pc	
FSH0024	1.7mm	1,000pc	
PL0025	2.0mm	1,000pc	
FSH0026	2.3mm	1,000pc	
PL0028	2.6mm	1,000pc	
FSH0027	2.8mm	500pc	
PL0081	3.0mm	500pc	
FSH0123	3.1mm	500pc	
FSH0329	3.3mm	500pc	
FSH0028	3.5mm	500pc	
FSH0029	3.8mm	500pc	
FSH0030	4.0mm	500pc	
PL0036	4.2mm	500pc	
PL0037	4.6mm	500pc	
PL0038	4.8mm	500pc	
PL0040	5.2mm	each	

Mini Double Copper Crimps			
PRODUCT CODE	SIZE	QUANTITY	
PL0003	0.8mm	1,000рс	
FSH0039	1.0mm	1,000pc	
FSH0040	1.3mm	1,000pc	
FSH0041	1.6mm	1,000pc	
FSH0042	1.9mm	1,000рс	
FSH0037	2.2mm	1,000pc	
FSH0633	2.4mm	1,000рс	
FSH0038	2.6mm	1,000pc	
PL0029	2.8mm	500рс	
FSH1381	3.3mm	500pc	

Alloy Single Mini Crimp (7mm total length)			
PRODUCT CODE	SIZE	QUANTITY	
PL0001	0.7mm	1,000рс	
FSH0031	0.8mm	1,000pc	
FSH0032	1.2mm 1,	1,000pc	
PL0007		1,000pc	
PL0008		1,000pc	
FSH0033	1.5mm	1,000pc	
PL0019	1.7mm	1,000pc	
FSH0109	2.0mm	1,000рс	

CRIMPING TOOLS

We have a range of hand crimping pliers and bench crimpers for swaging copper and aluminium crimps. Our hand crimping pliers suit swages from 0.7mm and upwards, and for industrial swaging we offer the Tai Show bench crimper and die sets to suit crimps from 1.3mm upwards.










CRIMPING DIES



PRODUCT CODE	DESCRIPTION	LINE SIZE	TO SUIT CRIMP
FSH1289	# G Die	1.2mm - 1.4mm	1.3mm - 1.5mm
FSH1288	# F Die	1.5mm - 1.6mm	1.7mm
FSH1287	# E Die	1.8mm - 2.0mm	2.0mm - 2.2mm
FSH1286	# D Die	2.2mm	2.3mm
FSH1284	# BC Die	2.2mm - 2.8mm	2.6mm - 3.0mm
FSH1283	# B Die	3.0mm	3.2mm
FSH1282	# A Die	3.3mm - 4.0mm	3.5mm - 4.2mm
PL0491	# A1 Die	4.0mm - 5.0mm	4.5mm - 5.5mm
PL0497	A0 # LL	5.0mm - 5.5mm	5.5mm - 6.0mm

GAFFS, SPEARS, TAIL ROPES AND LANDING NETS

Select from a wide range of combinations to suit your needs. Structural grade anodised aluminium handle. Either stainless steel or aluminium hooks. Stainless steel hardware. Single or 2-piece. These products can be made to order to your specific requirements.















Gaff Boning Hooks Dexter Orange Handle

PL4667

Gaff Poles Tasmanian Oak 35mm x 2.4m

PL4668

Gaff Poles Tasmanian Oak 35mm x 3.0m

PL4669

Gaff Poles Tasmanian Oak 35mm x 3.6m

PL0225

Boat Hook Head Only 30mm Black

PL2017

Spear 6'6" 2 piece Alloy Mirage











PL0922

Harpoon Head 90mm



PL0921

Harpoon Head

PL0478

Dab Net Wood Handle



PL1498



Dab Net 36" Gar Replacement Netting



Landing Net 570 x 670 Nylon Netting



Landing Net 480 x 465 Nylon Netting 1m Handle













PL0243

Landing Net Rubber Medium (Wilson) 48 x 20cm Head 80cm Handle



PL4085

Landing Net Rubber XLRG (Wilson) 40 x 70cm Head 130cm Retractable Handle



PL4033

Bait Scoop Net 200mm Handle



PL4223

Replacement Rubber Net (Suitable for Wilson Medium



Spear Single Prong



Spear 3 Prong

ASANO EQUIPMENT

We import Japanese designed and made Asano stainless steel equipment and components for commercial fishing and aquaculture. Designed and constantly refined to withstand the harsh marine environment, Asano equipment is made from high grade stainless steel to offer a balance between strength and longevity.















PL3996

Daruma Block 75mm Type PB with Bearing SWL 0.7t UNIT WEIGHT: 1.3kg



PL3591

AK Pulley Block 50mm Type PB with Bearing SWL 0.4t UNIT WEIGHT: 0.5kg



PL3703

AK Pulley Block 75mm Type PB with Bearing SWL 0.6t UNIT WEIGHT: 1.3kg

PL4104

AK Pulley Block 100mm Type PB with Bearing SWL 1.0t **UNIT WEIGHT: 2.5kg**

PL4210

AK Double Pulley Block 75mm Type PB with Bearing SWL 0.6t UNIT WEIGHT: 2.3kg

PL4209

AK Double Pulley Block 100mm Type PB with Bearing SWL 1.0t UNIT WEIGHT: 4.3kg





Hanging Roller 80mm Type PB with Bearing SWL 1.0t UNIT WEIGHT: 2.8kg



PL4212

AK Pulley Block 100mm Type PB-S with Nylon Sheave SWL 1.0t UNIT WEIGHT: 1.6kg



PL4190

Auto Shackle Type 3 UNIT WEIGHT: 0.4kg



PL4211

Auto Shackle Type 2 UNIT WEIGHT: 1.2kg



PL4266

Auto Shackle Type SWL 2.8t UNIT WEIGHT: 1.3kg

NORWEGIAN BOSS EQUIPMENT

We import Norwegian Boss purse seine equipment and accessories. Made from the highest-grade acid proof stainless steel, Boss manufacture world renowned commercial fishing equipment for harsh environments.













PL2816
Boss 90 SR Purse
Ring SWL 3.5t
UNIT WEIGHT:
7.80kg

Boss Safety 9 SR Purse Ring SWL 2.5t UNIT WEIGHT: 7.80kg

PL2815

Boss DL 18 S Split Link SWL 0.2t UNIT WEIGHT: 180g

PL0252

Boss DL 19 S Split Link SWL 0.4t UNIT WEIGHT: 290g

PL0253

Boss DL 26 Sister Clip SWL 3.0t UNIT WEIGHT: 1.7kg

PL3953

Boss GH 6 S G-Hook SWL 6.0t UNIT WEIGHT: 2.90kg

PL4188













Boss L 6 S Split Link SWL 6.0t UNIT WEIGHT: 1.60kg

PL4189

Boss L 3 S Split Link SWL 3.0t UNIT WEIGHT: 0.80kg

PL2800

Boss TOW 15 S Release Hook Break Load 48t UNIT WEIGHT: 15.80kg

PL4258

Boss RH 2T Release Hook Break Load 10t UNIT WEIGHT: 1.60kg

PL3842

Boss BK 12 Brailing Net Lock SWL 0.9t UNIT WEIGHT: 8.30kg

PL3504

PL2511

Boss SL 12 S Shackle
SWL 6.0t
UNIT WEIGHT:
1.50kg





SIZE: 7-13



PL2509

Boss SW 30 S Swivel
SWL 3.0t
UNIT WEIGHT:
0.90kg

HOOKS

Long Shank


Mustad brand, long shank hook, popular in the longline shark fishery.




Sports Circle Hooks

Circle hooks are a popular hook pattern for commercial longlining and drop lining for a range of species. At Seamaster we offer a range of quality stainless steel offset circle hooks. The Sports Circle 39960 is a good all-round pattern and popular for longlining demersal shark and finfish. The forged offset is a popular heavy duty hook for commercial and recreational fishing for larger sharks and game fish. The Sports Circle hook with crane swivel is a popular hook for drop lining in deeper water.

We also carry a large range of light tackle sport fishing hooks from the most popular brands, Gamakatsu, Owner and Mustad.










E-Z Baiter Hooks

E-Z Baiter hooks offer the advantages of a circle hook but with a slightly longer shank. Commonly used for autoline and longlining.



Straight J Hooks

Our range of Straight Shank J Hooks are popular with commercial and recreational fishers. The Sports Hook Type 7691 is a stainless steel non-offset hook and is widely used in game fishing, commercial fishing and in lure manufacturing. The Swordfish 7732 is a heavier gauge stainless steel non-offset hook and is a good option for heavy tackle fishing.





Octopus Hooks

Quality Octopus beak hooks, for recreational and small scale fish.



PRODUCT CODE	SIZE	PACKET QUANTITY	BULK QUANTITY
FSH0972	#2	40	1000
FSH0971	#4	20	1000
FSH0376	1/0	25	1000
FSH0377	2/0	40	1000
FSH0378	3/0	35	1000
FSH0379	4/0	30	1000
FSH0380	5/0	20	1000
FSH0381	6/0	20	1000
FSH0382	7/0	15	1000
FSH0383	8/0	15	1000
FSH0384	10/0	8	1000

KNIVES AND ACCESSORIES

Select from a comprehensive range of knives. Made with quality marine grade stainless steel and high carbon steel blades, and designed for a range of applications, we are sure to have a knife to suit your requirements.

Victory



Giesser



Frosts I	Mora		FSH0054 Morakniv Companion Blue Outdoor Sports	FSH0056 Mora Frost Fillet 6.25"	FSH0057 Mora Frost Fillet Knife 128-0917
		_			
FSH0058	FSH0059	FSH0060	FSH0061	FSH0162	FSH0163
Mora Frost Poultry 4"	Mora Frost Fillet Narrow 7"	Mora Frost Boning Narrow 5" Curved	Mora Frost Boning 5" Curved Blue	Mora Frost Bait 9106UG (4591)	Mora Frost 153mm Straight Wide Boning-Stiff
FSH0164 Mora Frost Filleting 180mm Semi Flex 129-3805	FSH0165 Mora Frost Skinning 3305PG S/S High Carbon (4474)	FSH0166 Mora Frost Butcher 205mm Stiff 1-0147	FSH0167 Mora Frost Butcher 6" (3968)	FSH0349 Mora Companion F Rescue (Round Safety Tip)	FSH2314 Mora Companion F Multi Colour
	-	_			
FSH2551	FSH1216	FSH1217	FSH1295	PL1236	PL1231
Mora Allrounder Basic	Mora Frost 8" Curved 7215PG	Mora Frost 305mm Curved Steak 7305UG	Mora Frost Gutting Knife with Spoon	Mora Frost Spoon Only	Mora Frost 6" Fillet 9160PG
PL1232	PL3956	PL1245	PL1233	PL1230	PL1244
Mora Frost 6" Blue Handle Bait Knife 1030SP	Mora Frost 8" Semi Flex 8197UG	Mora Frost 8" Boning 9210P	Mora Frost 5" Curved LS5-G1	Mora Frost 6" Curved CB6F-E	Mora Frost 6" Curved 7158UG
PL1256 Mora Frost 5" Boning 7126PG	PL1229 Mora Frost 5" Cutting 4130PG	PL2512 Mora Frost 7" Chef's 4171PG	PL1238 Mora Frost 10.5" Chef's 4261UG	PL3496 Mora Frost 10" Butcher 7253UG	PL1255 Mora Frost 6.25" Curved 7162UG

SICUT




Standard Imported Range

FSH0086	FSH0261	FSH0087	FSH0258	FSH0259	FSH0262
K1 350mm Plastic Handle	K2 350mm Plastic Handle	K3 455mm Plastic Handle	Kaibo #A123 180mm (double grind)	Sashimi #A134 270mm	Fish Cutting #C312 220mm
PL1260	PL1279	PL1280	PL1217	PL3459	PL1259
Magiri Knife	Sashimi Knife	Bleed Knife	Stomach Drop Blood	S/S Fish	Kaibo Carbon Fish
135mm with Leather Sheath	240mm	B231 LOA 125mm	Knife B211	Cutting Knife 130mm	Cutting Knife 115mm
with Leather Sheath				Cutting Knife 130mm	Cutting Knife 115mm
	240mm			Cutting Knife 130mm	Cutting Knife 115mm


Oyster Knives, Dive and Abalone Knives, Scalers, Cleavers and Fish Despatch



Storage



Victorinox



Scissors and Cutters



HSGM Hot Knife Made in Germany

NET030













NET031
Hot Knife Blade
Standard

Hot Knife Blade 45mm F-2

NET107

Blue Handled S/S Scissors

GCH008

Yellow Handled S/S Japanese Scissors

PL1467

FSH0292 Wire Cutter Small

GCH012 Rope and Mono Cutters #S13023

Scales



FSH0494

Berkley Digital Scales 23kg capacity



FSH2954

Rapala Digital Scales 23kg capacity



Sharpeners



GCH016

Sharpening Whetstone 8" x 2" x 1" - FINE













PL1897

Sharpening Whetstone $8" \times 2" \times 1"$ Coarse / Medium GCH015

Sharpening

Whetstone

8" x 3" x 2" - FINE

PL1899 Sharpening Whetstone

8" x 3" x 2"

Coarse / Medium

Diamond Steel

12"

FSH2103

PL1253

Sharpening Steel Frost Medium

PL1254

Sharpening Steel Frost Yellow Handle



Nirey Electric Knife Sharpeners




Nirey Replacement Drums













PL1219

Nirey Electric Sharpener Recreational KE198



PL1220

Nirey Electric

Sharpener

PL3580

Nirey Electric Sharpener H/D Commercial KE280



PL1218

Nirey

FSH2784 Ceramic Sharpener 10" Fine Replacement Belts

FSH2785

Ceramic Sharpener 12" Fine





Professional KE3000





Fine, Med, Coarse





FSH2781

Honing Steel 10" Regular

FSH2783 Regular

Honing Steel 12"

Superfine

FSH2786 Polishing Steel 12" FSH2780 Diamond Steel 12" FSH2775 Manual Knife

Sharpener Two Stage

FSH2776

Manual Knife Sharpener Multi Angled

UNDERWATER / STROBE LIGHTS

Select from a wide range of combinations to suit your needs. Structural grade anodised aluminium handle. Either stainless steel or aluminium hooks. Stainless steel hardware. Single or 2-piece. These products can be made to order to your specific requirements.



LHT003



LHT006 LHT008



LHT009 Model: DF66



PL0546

Model: DF66 Depth: 700m Battery: 2 x AA 130x35mm Attachment: S/S Clip

Model: DF66 Depth: 700m Battery: 2 x AA 130x35mm Attachment: S/S Clip

LHT005

Model: DF66 Depth: 700m Battery: 2 x AA 130x35mm Attachment: S/S Clip Model: DF66 Depth: 700m Battery: 2 x AA 130x35mm Attachment: S/S Clip

Depth: 700m Battery: 2 x AA 130x35mm Attachment: S/S Clip

Model: DF66 Depth: 700m Battery: 2 x AA 130x35mm Attachment: S/S Clip













LHT057

Model: Diamond Depth: 1000m Battery: Sealed 25x30mm Attachment: Loop

Model: Diamond Depth: 1000m Battery: Sealed 25x30mm Attachment: Loop

LHT089

Model: Diamond Depth: 1000m Battery: Sealed 25x30mm Attachment: Loop

LHT090

Model: Chemical Light Stick 100x10mm Attachment: Clip

LHT022

LHT058

Model: Chemical Light Stick 100x10mm Attachment: Loop Tie SFT025

Model: Beacon Strobe KS-68 Battery: 2 x D 200x40mm Attachment: Threaded













PL2061

Model: Beacon Strobe KS-68 Battery: 2 x D 200x40mm Attachment: Threaded

Model: Beacon Strobe SY-61A Battery: 2 x D 280x50mm

Attachment: Threaded

Model: Flounder Light Cree LED Battery: 3 x C

LHT011

FSH1072

Model: Flounder Light Neptune Underwater Halogen 50 Watt Battery: 12V 750mm handle

FSH1151

Model: Flounder Light Neptune Underwater Halogen 100 Watt Battery: 12V 750mm handle

PL2057

Model: Strobe SK 4000 auto on/off Battery: D x 1 130x52mm





SFT026



PL2063

Model: Strobe CH2000B(R) on/off switch Battery: 4 x AA 132x48mm

PL2064 Model: Strobe CH2000B(W) on/off switch Battery: 4 x AA

132x48mm

Model: Strobe CH2000B(Y) on/off switch Battery: 4 x AA 132x48mm

PL2065

Model: Strobe CH2000B(G) on/off switch Battery: 4 x AA 132x48mm

PL2062

LHT163

LED Light Bullet Blue 1000m 950x20mm Battery: Sealed Attachment: Loop **LHT162**



LHT161

LED Light Bullet White 1000m Battery: Sealed Attachment: Loop



LHT160

LED Light Bullet Yellow 1000m 950x20mm Battery: Sealed Attachment: Loop



LHT159

LED Light Bullet Disco 1000m Battery: Sealed Attachment: Loop

LED Light Bullet Green 1000m 950x20mm Battery: Sealed Attachment: Loop

LUMINOUS BEADS, SLEEVES & TUBING

We offer a range of luminous accessories for commercial and recreational rigging, from luminous light sleeves to beads and tubing. Luminous accessories offer a light attractant as well as protection against chaffing on leader lines and branch lines. Luminous light sleeves and tubing also assist in neat presentation of baits and lures. Luminous octopus and squid skirts add an extra attractant to your rig.



PL3048

Branchline Tube Grey/White 1.8mm 100m













FSH0044 Luminous light sleeves 5cm 250pc





Luminous beads 11x8mm each

PL0208

Luminous Tube Pink 2.3mm 200mm

PL3432

Luminous Tube Clear 2.3mm 200mm

PL3433









FSH2023 Luminous Tube

200mm

Luminous Tube Pink 2.1mm 200mm

FSH3430

FSH0071 FSH2014 Luminous Tube Luminous Octopus Pink 2.3mm 200mm 300mm

FSH2133

Luminous Squid Lure 90mm

FSH2015

Luminous Squid Lure 90mm

LURES

Rapala

We stock a wide range of Rapala lures, from small models suited to trout and bream, all the way through to the X-Rap Magnum's that dive to depths of up to 40ft. They are available in a massive range of sizes and colours.





Atomic

Atomic lures are a high quality and durable hard bodied lure that is available in a range of sizes and colours to suit trout and bream through to kingfish and tuna. Popular with sportfishermen looking for that edge.







Halco Laser Pro DD

The latest in lure technology incorporating strength, durability and fish catching ability. The outer body has extra secure hook anchoring and towing points that are built in as an integral part of the lure body. Halco's Bulletproof bib securing system provides added strength and ensures faultless swimming performance at high and low speeds. Halco Laser Pro lures are precision built for maximum fish catching ability.

DESCRIPTION	DIVE DEPTH	TROLLING SPEED	APPLICATION	BUOYANCY
Laser Pro 160DD	2m+	3-11 knots	Trolling/Casting	Floating
Laser Pro 190DD	2m+	3-11 knots	Trolling/Casting	Floating
Laser Pro 120DD	2.5m+	1-7 knots	Trolling/Casting	Floating
Laser Pro 140DD	2.5m+	3-11 knots	Casting/Trolling	Floating
Laser Pro 190XXD	6m+	3-11 knots	Trolling/Casting	Floating











Halco Max Pro DD

This cutting edge bibless minnow can do the lot, be it jigging, casting or trolling. Max has a highly streamlined design, that gives the lure unbeatable casting ability, while allowing high trolling speeds with minimal resistance. The slender tail section is designed for maximum hook exposure on the strike. Max represents the lure of the future. It goes without saying that Max incorporates Halco's legendary toughness and durability that keep Halco ahead of the rest.

DESCRIPTION	DIVE DEPTH	TROLLING SPEED	APPLICATION	BUOYANCY
Max 110	2m	2-15 knots	Jigging/Casting/Trolling	Rapid Sinking
Max 130	2m	2-15 knots	Jigging/Casting/Trolling	Rapid Sinking
Max 190	2m	2-15 knots	Jigging/Casting/Trolling	Rapid Sinking
Max 220	2m	2-15 knots	Jigging/Casting/Trolling	Rapid Sinking





Pakula Lures

Pakula Lures are possibly the most recognisable and successful gamefishing lures in the world. Peter Pakula has been at the forefront of lure design for decades and continues to produce new and innovative products. From lures to teasers, we stock a range of Pakula tackle to catch that fish of a lifetime.



Meridian Lures

A lure for every fishing condition. We stock a range of head shapes, sizes and colours of Meridian Lures, which are proven tuna catchers. Meridian Lures are Tasmanian owned and made and hand crafted individually, with unique custom skirts.



Soft Plastic Lures

The range of soft plastic lures on the market is enormous. Stocking the popular brands, Seamaster is sure to have a style to suit the species of fish you are chasing.

Shimano Squidgies

Designed by Australia's top fishermen for our conditions, Squidgies are a household name in soft plastic lures.



Berkley Gulp

The Gulp range of soft plastics come packaged in their uniquely formulated scent that quite often out fishes real bait.

Berkley Powerbait

Copied by many other brands, the Powerbait range of soft plastics has a lure to suit all species of fish.





MONOFILAMENT AND BRAID

We offer a range of bulk monofilament lines from 1.0mm up to 4.0mm in diameter. Seamaster brand and made in Taiwan, this range of mono line is popular with commercial fishermen and recreational fishers alike. Ask us about our range of aluminium swages to suit.

Features

- > Offered in clear, blue and red
- > Made as medium supple mono line
- > Supplied in hanks



PRODUCT CODE	COLOUR	DIAMETER	BREAK STRENGTH	HANK SIZE / LENGTH
FSH0634	Clear / Natural	1.0mm	100lb	1000m
FSH0078	Clear / Natural	1.2mm	130lb	1000m
FSH0635	Clear / Natural	1.4mm	200lb	1000m
FSH0079	Clear / Natural	1.6mm	250lb	1000m
FSH0120	Clear / Natural	1.8mm	325lb	1000m
PL2965	Blue / Grey	1.8mm	325lb	1000m
FSH0080	Clear / Natural	2.0mm	450lb	1000m
PL3042	Dark Blue	2.0mm	450lb	1000m
PL3043	Deep Red	2.0mm	450lb	1000m
FSH0081	Clear / Natural	2.2mm	520lb	500m
FSH0082	Clear / Natural	2.8mm	550lb	500m
FSH0306	Clear / White	3.0mm	913lb	500m
FSH0639	Clear / Natural	3.0mm	600lb	200m
PL3470	Clear / Natural	3.5mm	720lb	1000m
FSH0307	Clear / White	3.5mm		250m
FSH0308	Clear / White	4.0mm	1300lb	250m

OTHER MONOFILAMENT LINE PRODUCTS

Platypus Stealth Leader

Fluorocarbon monofilament leader is invisible under water to fool finicky fish.



PRODUCT CODE	BREAK STRENGTH
FSH2456	6lb
FSH0589	8lb
FSH2457	10lb
FSH0590	15lb
FSH0591	20lb
FSH2526	30lb

Seamaster Braid

Ultra-smooth 8 strand Japanese Dyneema braided fishing line.



PRODUCT CODE	DIAMETER	BREAK STRENGTH	LENGTH
FSH1262	0.14mm Yellow	10lb	150m
FSH1251	0.18mm Yellow	15lb	150m
FSH0323	0.20mm Yellow	20lb	150m
FSH0324	0.26mm Yellow	30lb	300m
FSH0325	0.36mm Yellow	50lb	300m
FSH1263	0.36mm Multicolour	50lb	500m
FSH0326	0.48mm Multicolour	80lb	1000m
FSH2138	0.48mm Yellow	80lb	3000m
FSH0328	0.61mm Multicolour	120lb	1000m

Jinkai Leader

High quality Japanese leader.





PRODUCT CODE	DIAMETER	BREAK STRENGTH	LENGTH
FSH1348	0.40mm	40lb	50m
FSH1349	0.57mm	60lb	50m
FSH1350	0.77mm	80lb	50m
FSH2541	0.87mm	100lb	50m
FSH2542	0.97mm	120lb	50m
FSH2543	1.04mm	150lb	50m
FSH1351	1.2mm	200lb	50m
FSH1352	1.8mm	400lb	50m

Platypus Pretest Fluoro

Premium grade sportfishing and game line. Popular with top game fishermen.



PRODUCT CODE	BREAK STRENGTH
FSH2166	10kg
FSH0586	15kg
FSH0587	24kg
FSH0588	37kg

Halco Wind On Leader

Extra tough wind-on leaders.



PRODUCT CODE	BREAK STRENGTH
PL1349	60lb
PL1350	80lb
FSH1333	100lb
FSH1334	150lb
FSH2176	400lb

Lindgren-Pitman Mono Spool

Quality monofilament sourced from Hawaii.



PRODUCT CODE	DIAMETER	BREAK STRENGTH	LENGTH
FSH2448	1.4mm Dark Blue	200lb	6728m
FSH2447	1.4mm Light Blue	200lb	6728m
FSH1382	3.5mm		2148m
FSH1383	4.0mm		1640m

Mono Line with 100 Sleeves



PRODUCT CODE	DIAMETER	BREAK STRENGTH	LENGTH
FSH0294	1.6mm	319lb	250m
FSH0295	1.8mm	396lb	250m
FSH0296	2.0mm	473lb	250m
FSH0297	2.2mm	517lb	250m
FSH1281	3.6mm		5000m

RODS AND REELS

Seamaster can supply all the major brands of rods and reels. Our exper staff can set you up to tackle that trophy of a lifetime.

Alvey

Australian madeAlvey reels are a household name and make quality deepsea and surf reels.



FSH2756

Alvey Reef Queen



FSH2584

Shimano Electric Rod and Reel

Shimano

World renown for quality tackle.

NETTING

Monofilament Fishing Nets



PRODUCT CODE	NET BUNT SIZE	COLOUR
NET094	0.90mm x 6 1/4" x 20md x 1000m	Dark Blue
NET095	0.90mm x 6 1/2" x 20md x 1000m	Dark Blue
NET096	0.52mm x 4 3/4" x 33md x 100m	Natural White
NET097	0.52mm x 5 1/4" X 50md x 200m	Natural White
NET098	0.60mm x 5 1/2" x 25md x 200m	Red
NET099	0.52mm x 5" x 100md x 100m	Natural White
NET100	Multi 0.20mm*7 x 5 1/2" x 25md x 200m	Red
NET101	0.90mm x 6 1/2" x 20md x 1000m	Dark Blue
NET102	0.52mm x 4 3/4" x 50md x 100m	Natural White
NET113	0.90mm x 6" x 20md x 1000m	Dark Blue

RIGGING



Seamaster Swordfish Rig

FSH2135PKTBOM

Designed and made by Seamaster using 5 metres of 400lbs mono with a 18/0 circle hook and a lumo octopus skirt.

HOOK SIZE: 18/0 Circle NO. OF HOOKS: 1



Jig-Ems

FSH2242

COLOUR: Various LENGTH: 9cm



Jig-Ems

FSH2243

COLOUR: Various LENGTH: 13cm



Seamaster Stripey Rig

FSH0795PKTBOM

Designed and made by Seamaster using 400lbs mono with 3 x 13/0 circle hooks for catching Striped Trumpter as well as other deep-sea fish.

HOOK SIZE: 13/0 Circle NO. OF HOOKS: 3



Hayabusa Snapper Rigs

FSH2498

HOOK SIZE: 5/0 COLOUR: Pink Flasher Green Red Flasher White Flasher



Hayabusa Snapper Rigs

FSH2520

HOOK SIZE: 6/0 COLOUR: Pink Flasher Green Red Flasher White Flasher



Seamaster Deep Drop Rig

FSH1231PKTBOM

Designed and made by Seamaster using 400lbs mono with $5 \times 14/0$ circle hooks for catching Trevalla as well as other deep-sea fish.

HOOK SIZE: 14/0 Circle NO. OF HOOKS: 5



Hayabusa Whiting Rigs


FSH1358

Includes two #10 high quality, Japanese Hayabusa hooks per rig and Japanese fluorocarbon line. Two rigs per package. Great for catching King George Whiting and Sand Whiting and excellent for catching Tasmanian bait fish.

PROFESSIONAL SQUID GEAR

Arrow Squid





SINKERS



Snapper Sinker			
PRODUCT CODE	SIZE	PRODUCT CODE	SIZE
FSH2007	4oz	FSH0157	22oz
FSH1202	6oz	FSH0158	24oz
FSH1059	8oz	FSH0922	32oz
FSH1060	10oz	FSH0923	44oz
FSH1176	12oz	FSH2257	70oz
FSH0156	16oz		

Snapper Sinker Mould		
PRODUCT CODE	SIZE	
FSH1344	4oz	
FSH1345	6oz	
FSH1346	8oz	
FSH1310	16oz	
FSH1311	24oz	
FSH1312	32oz	

TUNA OIL

Berley and Tuna Oil

Improve your chances of catching fish with our range of locally produced berley and tuna oil. Bring the fish to you with the help of these great fish attracting logs, pellets and tuna oils.











PL0214
Berley Pellets
1kg

PL0217		
Tuna Log		
1kg		
1kg		

PL0218		
Tuna Tosser		
1kg		

PL2355		
Tuna Oil		
1L		

PL4224
Pilchard Pellets
750g

TERMINAL TACKLE

Rigging and Tubing

Our range of stainless Kanseki springs, thimbles and polyester tubing assist in neat rigging of lures and baits and offers protection against chaffing and wearing on monofilament and fluorocarbon leader lines. Popular with sport and game fishermen.



Kanseki Spring Stainless Steel			
FSH0353	SIZE: 1.5mm	QUANTITY: each	
FSH0618	SIZE: 1.8mm	QUANTITY: each	
FSH0619	SIZE: 2.1mm	QUANTITY: each	
FSH0354	SIZE: 2.3mm	QUANTITY: each	



Braided Polyester Tubing 9cm			
PL0259	SIZE: 1.8mm	QUANTITY: 500 pc	
PL0260	SIZE: 2.0mm	QUANTITY: 500 pc	
PL0261	SIZE: 2.2mm	QUANTITY: 500 pc	
PL0262	SIZE: 2.4mm	QUANTITY: 500 pc	



Rigging Thimbles Stainless Steel			
PL2298	SIZE: 1.8mm - 2.2mm	QUANTITY: each	

Shark Clips

We have a range of Japanese style stainless steel shark clips for use on monofilament and rope longlines. Available in 86mm, 100mm and 125mm lengths and offered either with or without BL swivel. Available in a U-Notch clip for movement on a longline, or a V-Notch clip for extra holding strength and minimal movement. Suitable for all types of pelagic, demersal finfish and shark longlining.



V-Notch Japanese Style Snaps NO SWIVEL			
FSH0143			
SIZE: 86 x 2mm QUANTITY: each	SIZE: 100 x 2.6mm QUANTITY: each	SIZE: 86 x 2mm QUANTITY: 100pc	SIZE: 100 x 2.6mm QUANTITY: 50pc



V-Notch Japanese Style Snaps with BL SWIVEL			
FSH0145			
SIZE: 86 x 2mm QUANTITY: each	SIZE: 100 x 2.6mm QUANTITY: each	SIZE: 86 x 2mm QUANTITY: 100pc	SIZE: 100 x 2.6mm QUANTITY: 50pc





U-Notch Japanese Style Snaps NO SWIVEL		U-Notch Japa	nese Style Snaps wi	th BL SWIVEL	
FSH0137	FSH0134	FSH0135	FSH0141	FSH0138	FSH0139
SIZE: 86 x 2mm QUANTITY: each	SIZE: 100 x 2.6mm QUANTITY: each	SIZE: 125 x 3.5mm QUANTITY: each	SIZE: 86 x 2mm QUANTITY: each	SIZE: 100 x 2.6mm QUANTITY: each	SIZE: 125 x 3.5mm QUANTITY: each





U-Notch Japanese Style Snaps NO SWIVEL		U-Notch Japanese Style Snaps with BL SWIVEL			
PL2006	PL2002	PL2004	PL3353	PL2003	PL2005
SIZE: 86 x 2mm QUANTITY: 100pc	SIZE: 100 x 2.6mm QUANTITY: 50pc	SIZE: 125 x 3.5mm QUANTITY: 25pc	SIZE: 86 x 2mm QUANTITY: 100pc	SIZE: 100 x 2.6mm QUANTITY: 50pc	SIZE: 125 x 3.5mm QUANTITY: 25pc

SWIVELS

We offer a diverse selection of swivels designed to meet the needs of both recreational and commercial users. All our swivels are crafted from premium materials and meticulously finished to meet high standards. Our product range includes compact swivels for use with lightweight tackle as well as larger swivels tailored for heavier applications.

Black Crane Swivels



PRODUCT CODE	SIZE	BREAK STRENGTH (KG)
PL2141	1	42
PL2143	1/0	60
PL2145	2/0	108
PL2147	3/0	125
PL2149	4/0	140
PL2151	5/0	155
PL2153	6/0	180
PL2154	8/0	210

Ball Bearing Swivels with Coastlock Snap



PRODUCT CODE	SIZE	BREAK STRENGTH (KG)
FSH1270	1/0	13
FSH1271	2/0	20
FSH1272	3/0	33
FSH1273	4/0	65
FSH1274	5/0	90
FSH1275	6/0	125
FSH1276	7/0	175
FSH1277	8/0	225

Black Crane Combination 3-way Swivels



Crane Swivel with Sleeve (Bran)



PRODUCT CODE	SIZE	BREAK STRENGTH (KG)
PL2130	1 + 1/0	39
PL2129	1/0 + 2/0	48
PL2131	2/0 + 3/0	55
PL2132	3/0 + 4/0	60
PL2133	4/0 + 5/0	72
PL2134	5/0 + 6/0	85

PRODUCT CODE	SIZE	BREAK STRENGTH (KG)
PL3434	1.3mm + #1	42
FSH0268	1.6mm + #1	48
FSH0350	1.8mm + #1	55
FSH0269	2.0mm + 1/0	60
FSH0270	2.3mm + 2/0	90
FSH0351	3.0mm + 3/0	125
FSH0352	3.3mm + 4/0	140

Leaded, Corkscrew and Nickel Swivels



STAINLESS STEEL WIRE

Our range of stainless steel wire is popular with recreational and commercial fishers rigging for shark and pelagic fish species, as well for industrial and mining applications. Manufactured in SS Grade 316 in 7x7 strand construction. Offered in size 0.8mm up to 6.0mm in uncoated, and in sizes 0.8mm up to 3.0mm in nylon coated wire. **Ask us about copper swages to suit.**

Uncoated




Wire 7x7 strand Uncoated Stainless Steel Grade 316			
PRODUCT CODE	DIAMETER	WEIGHT (KG)	LENGTH
MRH008	0.8mm	62	300m
MRH010	1.0mm	98	300m
MRH012	1.2mm	120	300m
MRH014	1.6mm	202	300m
MRH220	2.0mm	296	300m
PL3499	3.0mm		200m
PL3500	5.0mm		100m
PL3928	6.0mm		100m

Nylon Coated



Wire 7x7 strand Stainless Steel Grade 316 Nylon Coated Blue			
PRODUCT CODE	DIAMETER	WEIGHT (KG)	LENGTH
MRH009	0.8-1.0mm	62	300m
MRH011	1.0-1.2mm	98	300m
MRH013	1.2-1.5mm	120	300m
MRH015	1.6-2.0mm	202	300m
MRH219	2.0-2.4mm	296	300m
PL2545	2.6-3.0mm	453	200m
PL4152	3.0-3.5mm	610	100m
PL4471	3.5-4.0mm	720	200m
PL4472	4.5-5.0mm	915	100m



We carry a wide range of floats and fenders including world renowned Norwegian Polyform inflatable buoys and fenders.

As well as Australian made styrene floats, pressure buoys and large rotationally moulded mooring buoys and aquaculture lease markers, Seamaster's plastic fabricating abilities mean products can be developed to suit your requirements.

MOORING BUOYS



144L Mooring Float

with Lugs or

Centre Pipe

FLT144- Blue FLT144- Red

144L Mooring Float with Lugs or Centre Pipe



144L Mooring Float with Lugs or Centre Pipe

FLT144- Orange



144L Mooring Float with Lugs or Centre Pipe

FLT144- Yellow



166L Mooring Durabuoy - Yellow 2210 x 600mm



166L Mooring Durabuoy - Orange 2210 x 600mm

FLT146













FLT147 166L Mooring Durabuoy - Blue 2210 x 600mm

FLT156

166L Mooring
Durabuoy - Red
2210 x 600mm

FLT148
310L Mooring
Durabuoy – Yellow
2440 × 600mm

310L Mooring Durabuoy - Orange 2440 x 600mm

FLT149

310L Mooring Durabuoy – Blue 2440 x 600mm

FLT150

Mooring Buoy Polyform CC4 Red 1485 x 800mm

FLT157



Rod 590 x 855mm

FLT161 FLT162

Mooring Buoy Mooring Polyform CCE4 with Polyform



Mooring Buoy Polyform CC2 Red 430 x 385mm



Mooring Buoy Polyform CCE3 with Short Rod

FLT163



FLT164

Mooring Buoy
Polyform MB100
Foam Filled Yellow

DEEPSEA PRESSURE FLOATS



T001 FLT016







Pressure Float Hydrodynamic 200mm 1700m Centre Hole

Pressure Float Orange 200mm 1500m 7B-15 Centre Hole

Pressure Float Orange 120mm 100m 4M-10 Lugs

FLT018

Pressure Float Orange 300mm TF300A

FLT142

Pressure Float Orange 360mm TF360A

FLT151

Pressure Float Orange 210mm 500m 7M-5

FLT058



FLT059

Pressure Float
Orange

300mm 500m 10M-5



PL0620
Pressure Float
Orange
200mm 300m 7B-3
Centre Hole



 PL2744
 PL0638

 Pressure Float Orange 150mm 1200m 5M-12 Centre Hole
 Orange 300mm 300m 10M-3 Twin Lug



PL0639

Pressure Float
Orange 300mm
300m TF-300D
Threaded End



Pressure Float White 240m 300m 240A Twin Lug

FLT101



Pressure Float Orange Oval 85mm 300m 2G-3 Centre Hole

PL0684



Pressure Float Orange Oval 145mm 300m 5G-3 Centre Hole

AQUACULTURE FLOATS

AND MARKERS

PL0685



Pressure Float Black Oval 127mm 400m T-250 Centre Hole



MRH368 Spar Marker 700mm



FLT172 Sealite Marker Buoy Red



Sealite Marker Buoy Green

FLT173



MRH021
Conical Oyster Float



MRH0210

Buoy Conical Float
70lt Orange



MFL021Y

Buoy Conical Float
70lt Yellow



Torpedo Sub Tidal Oyster Float

FLT098



MFL001/2/3
290L Mussel Float
Assorted Colours



MRH382
Corner Marker

FOAM FLOATS













EVA Foam Float BL-S White

FLT023 EVA Foam Float BL-2 White

FLT024 **EVA Foam Float** BL-6 White

FLT025 **EVA Foam Float** BL-7 Yellow

FLT026 **EVA Foam Float BL-8 Yellow**

FLT021

EVA Foam Float BL-10 Yellow













PL0626

EVA Foam Float BL-12 Yellow

FLT022

EVA Foam Float

BL-14 Yellow

PL0628 **EVA Foam Float** BL-18 Yellow

FLT166 EVA Float SHE-105 yellow

FLT108

Gillnet Float

FLT154

Shark Net Float 125g 1000m













FLT092

Net Float Y-9

FLT040 Float Polystyrene Hard 4" 100S

White

FLT041 Float Polystyrene Hard 6" 150S

White

FLT042 Float Polystyrene Hard 8" 200S White

FLT038

FLT039











Float Polystyrene Hard 12" 300S White



Float Polystyrene Hard 8" 200S Red

FLT110 Float Polystyrene Hard 16" x 8" 400L

Pole Float White

FLT165

Float Polystyrene Hard 24"x 8" 600L Pole Float White





QE NZ **FLOATS**



FLT174 QEL220 3-Rib Cray Pot Float

QEL220 3-Rib **Cray Pot Float** Orange

FLT109

FLT180 QEL315 **Cray Pot Float**

QEL315 **Cray Pot Float** Orange

POLYFORM INFLATABLE









FLT117 Polyform Buoy A0 Red



FLT118 Polyform Buoy Yellow

FLT119 Polyform Buoy A1 Red

FLT120 Polyform Buoy Yellow

FLT121 Polyform Buoy Red









FLT122 Polyform Buoy

Polyform Buoy

FLT123

FLT124 Polyform Buoy A5

FLT125 Polyform Buoy A6

FLT184 Polyform Buoy Α7 Red

FLT135 Polyform Buoy HL-1













FLT136 Polyform Buoy HL-2 Red

FLT137 Polyform Buoy HL-3 Red

FLT138

Polyform Buoy HL-1

Orange

FLT139 Polyform Buoy HL-4 Red

FLT126

Polyform Fender F-1

FLT127 Polyform Fender













FLT128

Polyform Fender F-3



FLT129

F-4

Polyform Fender

FLT130

Polyform Fender F-5

FLT131 FLT132 Polyform Fender Polyform Fender F-7

FLT182

Polyform Fender

PL0664 Castro Buoy A-0 Ribbed 200mm

PL0665

Castro Buoy A-0 Ribbed 200mm

PL0662 Castro Buoy

NBO-0 40mm

F-6

Polyform Fender F-8

FLT133

MARINE CONSTRUCTION FLOAT



FLT052

Pontoon Float

HEAVY DUTY SHIP FENDERS











PL2793

EVA Rope Covered HD Fender 25 x 25 x 80cm

PL0581

EVA Rope Covered HD Fender 48 x 48 x 80cm

PL4012

EVA Rope Covered HD Fender 48 x 48 x 160cm

PL0583

EVA Rope Covered HD Fender 90 x 90 x 90cm

PL0582

EVA Rope Covered HD Fender 90 x 90 x 180cm

FENDER COVERS

Handmade in the UK to suit the PolyformF-Series Fenders.

FLT194

F2 (pair)

COLOUR: Black







FLT195

F7 (single) COLOUR: Black **FLT196**

F8 (single) COLOUR: Black

FLT197

F11 (single) COLOUR: Black













FLT204

F1 (pair) COLOUR: Black



FLT167

F3 (pair) COLOUR: Navy

F4 (pair) COLOUR: Navy

FLT168

F5 (pair) COLOUR: Navy

FLT169

FLT170 F6 (single)

COLOUR: Navy















FSH0183


Bamboo Cane Pole 18-20' 35mm Butt

FSH0115

Float Saver Macca Yellow <19mm

FSH0116

Float Saver Macca Yellow <14mm



Navigation Lights

Work Lights

Handheld spotlights and torches

Carmanah and Sealite **Navigation Beacons**

- High quality 12- and 24-volt LED navigation lights from Hella marine and Aqua Signal.
- Light your work area and path ahead with Hella marine work, flood and spotlights.
- Waterproof and rechargeable handheld spotlights and signal torches.
- Solar powered Navigation Beacons for marking navigational hazards, marine farm leases, and the like.

HAND HELD LIGHTS



Spotlight Marine Waterproof Spot 300 Lumens Rechargeable





LHT086 Torch Yellow Floating Waterproof Battery



Spotlight Marine Waterproof Spot 500 Lumens Rechargeable

LHT113



Spotlight Marine Waterproof Spot 1500 Lumens Rechargeable

LHT087



letBeam SSR50 LED Torch 960 Lumens Rechargeable

LHT043



AXIS LED Waterproof Torch Floating 9 LED Battery

BHW918



LHT124 Torch Yellow Floating Waterproof 40 Lumens Battery

NAVIGATION LIGHTS



LHT066

Hella Navigation Light - 360 White Voltage: 24



LHT068

Hella Navigation Light - Masthead Voltage: 24



LHT69

Hella Navigation Light - Starboard Voltage: 24



LHT70

Hella Navigation Light - Starboard Voltage: 24



LHT071

Hella Navigation Light - Port Voltage: 24



LHT103

LED Navigation Light Pair - Port & Starboard Voltage: 12



BHW475

LED Nav Light 265mm pole 360 White Voltage: 12



BHW606

LED Nav Light 600mm pole Removable - 360 White Voltage: 12



PL2951

Aqua Signal Series 40 < 50m vessel -Starboard Green Voltage: 24



PL2950

Aqua Signal Series 40 <50m vessel Port Red Voltage: 24



PL2952

Aqua Signal Series 40 <50m vessel Masthead White Voltage: 24



PL2953

Aqua Signal Series 40 <50m vessel Stern White Voltage: 24



PL2949

Aqua Signal Series 40 <50m vessel 360 Red Voltage: 24



PL2987

Aqua Signal Series 40 <50m vessel 360 Green Voltage: 24



PL2948

Aqua Signal Series 40 <50m vessel 360 White Voltage: 24



LHT150

Nav Light <20m Vertical Mount Port Voltage: 12/24



LHT151

Nav Light <20m Vertical Mount Starboard Voltage: 12/24



LHT152

Nav Light <20m Vertical Mount Bi Colour (Red & Green)



LHT153

Nav Light <20m Vertical Mount Masthead/Steaming (White) Voltage: 12/24



LHT154

Nav Light <20m Vertical Mount Stern (White) Voltage: 12/24



LHT155

Nav Light <50m Surface Mount Anchor (All-Round White) Voltage: 12/24



Voltage: 12/24

SOLAR POWERED NAVIGATION AIDS



LHT001

Carmanah M550 <2Nm Multi/Programmable Voltage: Solar



LHT002

Carmanah M650H <4Nm Multi/Programmable Voltage: Solar



PL1824

Sealite SL-60 Marine Lantern 2-3nm Yellow Voltage: Solar



PL3422

Sealite SL-15 Marine Lantern 1-2nm Yellow Voltage: Solar

FIXED WORK AND SPOTLIGHTS



LHT096

Hella HypaLUME Flood Light Spot/Flood 28,000 Lumens Voltage: 24/48 & 240



LHT097

Hella RokLUME Work Light 390N Spot/Flood 7,800 Lumens Voltage: 24




LHT111

Hella Sea Hawk 470 Combi Light Bar Spot/Flood 2,200 Lumens Voltage: 12/24



LHT063

Hella Sea Hawk XLR Work Light Spot/Flood 1,500 Lumens Voltage: 12/24



Electrical devices subject to the harsh marine environment must be of the highest quality, that is why Seamaster only stocks the top brands in marine electrics.

RADIO AND AERIALS





PL1603

Radio

GX700

GME VHF Marine









VHF Marine Radio Uniden UM455	

ELC132	

VHF Marine Hand Held Radio Uniden MHS127	

MHS127





Axis 2.4m VHF Aerial with Base

GME VHF Aerial

GME 1.2m VHF Aerial Whip GME 1.8m VHF Aerial Whip

GME 2.4m VHF Aerial Whip

PL1602

Moonraker Mobile Phone Aerial

ELC210

BATTERIES



ELC050

Full River Deep Cycle Battery

ELECTRIC WINCHES



BHW742

Maxwell Anchormax Capstan Winch 12V



BHW850

Muir VC800 Vertical Capstan Winch 12V

SWITCHES, SOCKETS AND ACCESSORIES



ELC041

Switch Panel 4 Gang with Fuses



ELC044

Switch Panel 6 Gang with Fuses



ELC018

Switch Panel 5 Gang Power Socket and Fuses



ELC042

Toggle Switch On/Off



BHW771

BEP Dual Battery Distribution Cluster with DVSR



ELC016

Battery Switch 600A Continuous



ELC019

Battery Switch 235A 4 Position



ELC040

Battery Switch On/Off with Key



ELC015

Voltage Sensitive Relay



ELC028

Power Socket Plastic 12V



ELC029

Power Socket Stainless Steel 12V



ELC235

BEP Circuit Breaker



ELC236

BEP Circuit Breaker




ELC266

Tinned Twin Core Electrical Wire 4mm per metre Tinned Twin Core Electrical Wire 6mm per metre







08 MOORING & RIGGING HARDWARE

- > Anchors
- > Chain
- > Shackles
- > Stainless Steel Hardware
- > Thimbles

We carry a large array of mooring components, hardware, and rigging in stainless steel and galvanised mild steel to cover all marine applications.

We source the highest quality chain and hardware for proven reliability for long term use in our oceans. We routinely splice 8-strand and 12-strand ropes for the multitude of mooring and buoy applications.

ANCHORS

Grapnel Anchor

Hot dip galvanised grapnel anchors offer a versatile and costeffective anchor for use over rock, weed and sand substrate.



PRODUCT CODE	DESCRIPTION	WEIGHT (KG)	SUIT VESSEL SIZE	
BHW437	Folding Grapnel Anchor	el Anchor 1.5 Up to 3		
PL0045	Folding Grapnel Anchor	2.5	Up to 4.0m	
BHW439	Folding Grapnel Anchor	I Anchor 3.2 Up to 5.0m		
BHW438	Grapnel Anchor No. 2	2	Up to 3.0m	
PL2765	Grapnel Anchor No. 3	3	3.0m - 4.0m	
PL0049	Grapnel Anchor No. 4	4	4.0m - 4.8m	
PL0050	Grapnel Anchor No. 5	5	4.8m - 5.4m	
PL0051	Grapnel Anchor No. 6	6	5.4m - 6.0m	
PL0052	Grapnel Anchor No. 8	8	6.0m - 7.5m	

SARCA Anchors

SARCA anchors are a hot dip galvanised anchor designed and manufactured in Australia. They offer a high-holding power anchor for use in sand, mud, gravel and rock. The sliding trip release allows the anchor to be pulled out backwards if lodged in rock.



PRODUCT CODE	DESCRIPTION	WEIGHT (KG)	SUIT VESSEL SIZE	
PL2805	SARCA Anchor No.1	4	3.8 - 4.5m	
PL0054	SARCA Anchor No.2	6	4.0 - 6.5m	
PL0055	SARCA Anchor No.3	9	6.5 - 8.5m	
BHW897	SARCA Anchor No.4			
PL4180	SARCA Anchor No.5	15	9.5 - 12.5m	
PL4181	SARCA Bow Sprit S/S	Up to 17		

Sand

The galvanised Sand sanchor is a tried and tested very popular anchor to use on sand/mud sea floors. The downside to this style of anchor is that it doesn't perform very well on other sea bottoms.



PRODUCT CODE	WEIGHT (LB)
BHW446	6
BHW447	8
BHW448	10
BHW449	13
BHW450	18

Stockless JIS Anchors

Stockless JIS anchors are a popular anchor for larger commercial vessels operating in our southern waters. These hot dip galvanised anchors are supplied with Mill Certificate and are offered in sizes from 160kg to 350kg.



PRODUCT CODE	WEIGHT (KG)
PL3621	160
PL2839	180
PL2840	200
PL3622	220
PL0058	240
PL0059	280
PL0060	300
PL0061	350

Bruce / Claw

The bruce anchor is an excellent all-round anchor as it performs well in most sea bottoms including mud, sand, and rock. It finds it more difficult penetrating harder surfaces, such as clay, and sea floors with heavy grass. The three-claw design sets more easily than other's on the market.



Galvanised Self Aligning Anchor			
PRODUCT CODE	WEIGHT (KG)		
BHW440	2		
BHW441	5		
BHW442	7.5		
BHW443	10		
BHW444	30		
BHW675	50		

Plough/CQR

The plough anchor is also ideal for mud or sand, suitable for heavier vessels and also fitted with a retrieval eye. It is lead filled in the tip to assist in setting the anchor into the seabed.



Galvanised Plough Anchor			
PRODUCT CODE	WEIGHT (LB)		
BHW427	10		
BHW428	15		
BHW429	20		
BHW430	27		
BHW894	35		
BHW431	45		
BHW432	60		

Plough/CQR Fixed

This anchor's new and improved shape and use of materials will reduce weight and increase durability to overall extend the performance and holding capabilities of the anchor.



Galvanised Plough Fixed Head Anchor			
PRODUCT CODE WEIGHT (KG)			
BHW433	4		
BHW434	6		
BHW435	10		
BHW436	16		

CHAIN

We stock a wide range of steel chain, both galvanised and self-coloured for all applications from swing moorings for large boats to anchor chain for dinghies.

Grade L Short Link Chain

Grade L chain, primarily used for anchoring in the marine industry is the highest quality lower tensile steel available for lifting purposes. Sold per metre.

 $The \,WWL \,(working \,load \,limit) \,states \,Grade \,L \,chain \,is \,rated \,for \,general \,conditions \,to \,group \,classification$

of crane mechanisms of M3 as specified in AS1418.1 for the conditions of use that apply.



PRODUCT CODE	DESCRIPTION	DESIGN 5:1 (LIFTING) WLL (TONNES)	DESIGN FACTOR 4:1 (MOORING) MWL (TONNES)	KG PER METRE (APPROX)	F (MM)	S (MM)	R (MM)
CHN013	Chain Galvanised Grade L 8mm	0.64	0.80	1.40	27	8	23.8
CHN008	Chain Galvanised Grade L 10mm	1.00	1.26	2.20	34.3	10	29.8
CHN009	Chain Galvanised Grade L 13mm	1.70	2.10	3.38	43	12.7	38
CHN010	Chain Galvanised Grade L 16mm	2.58	3.20	5.62	54.9	16	47.8

Imported Chain

A range of economical, imported chain for lighter duty applications. Sold per metre.

PRODUCT CODE	DESCRIPTION
CHN074	Chain Short Link 8mm Grade L
CHN075	Chain Short Link 10mm Grade L
CHN076	Chain Short Link 13mm Grade L

Unrated, Large Size Chain

Stud link and stud-less chain for large mooring applications where extra weight is required. Sold per metre.

PRODUCT CODE	DESCRIPTION
CHN004	Chain Studless U2 32mm x 27.5m
CHN027	Chain Studless U2 32mm Per Metre
CHN046	Chain Stud Link U2 50mm x 27.5m Tar coated
CHN047	Chain Stud Link U2 40mm x 27.5m Tar coated



PRODUCT CODE	DESCRIPTION
CHN081	Stud Link U2 40mm Tar coated Per Metre
CHN082	Stud Link U2 50mm Tar coated Per Metre
CHN078	Enlarged End Link

Regular Proof-Coil Chain

Manufactured from low carbon steel and proof tested to at least twice the maximum load recommended for normal use. Self-Coloured (non galvanised) chain primarily used in mooring applications when chain will be submersed continuously. Sold per metre.

Not suitable for industrial lifting purposes.

The MWL (Maximum working load) stated is for guidance in the selection of chain with sufficient strength for intended applications.



PRODUCT CODE	DESCRIPTION	MWL (TONNES)	KG PER METRE (APPROX)	F (MM)	S (MM)	R (MM)
CHN040	Chain Reg PC Galvanised 6mm Per Metre	0.32	0.74			
CHN041	Chain Reg PC Galvanised 8mm Per Metre	0.53	1.14			
CHN083	Chain Reg PC Self-Coloured Bulk 13mm	1.50	2.82	44.5	12	51.7
CHN005	Chain Reg PC Self-Coloured Bulk 16mm	2.31	5.26	57.3	16	59.6
CHN006	Chain Reg PC Self-Coloured Bulk 20mm	3.67	8.13	71	20	73.3
CHN007	Chain PWB Reg PC Self-Coloured Bulk 24mm	5.34	11.63	84.8	24	87

Mooring Chain Assemblies with End Links

Custom made mooring assemblies from PWB, made to fit each individual circumstance. Usually made up with self-coloured Grade L chain with over sized links each end to loop through itself.

PRODUCT CODE	DESCRIPTION
CHN063	20mm Gr-L x 22m, 1 Leg Assy
CHN066	20mm Gr-L Self Coloured x 26m Chain + End Links

Trailer Chain

Did you know that it is a requirement by most states and territories in Australia that your trailer chain needs to be of a certain standard? Our trailer chain is designed in accordance with AS/NZS4177.4. Come and see us today for your length of trailer chain so you can keep towing legally.





PRODUCT CODE	DESCRIPTION	WLL (TONNES)	m/1000KG
142008G	Trailer Chain Galvanised 8mm	1.6	91.1
142010G	Trailer Chain Galvanised 10mm	2.5	59.7

SHACKLES

Rated Galvanised D Shackles

D shackles are mainly used on one-leg systems whereas anchor or bow shackles are mainly used on multi-leg systems. The Grade M shackles are a rated shackle that comply with the requirements of AS 2741. Grade M shackles are commonly used in marine applications.



PRODUCT CODE	SIZE	WLL (TONNE)	TYPE	FINISH	SHAPE	CLOSING METHOD	WEIGHT (KG)
MRH115	10mm x 13mm	0.5	Grade M	Galvanised	D	Screw	0.16
MRH116	16mm x 19mm	1.5	Grade M	Galvanised	D	Screw	0.61
MRH117	20mm x 23mm	2	Grade M	Galvanised	D	Screw	1.1
MRH119	23mm x 25mm	3	Grade M	Galvanised	D	Screw	1.5

Rated Self Coloured D Shackles



PRODUCT CODE	SIZE	WLL (TONNE)	TYPE	FINISH	SHAPE	CLOSING METHOD	WEIGHT (KG)
MRH120	10mm x 13mm	0.5	Grade M	Self Colour	D	Screw	0.16
MRH121	13mm x 16mm	0.75	Grade M	Self Colour	D	Screw	0.35
MRH122	16mm x 19mm	1.5	Grade M	Self Colour	D	Screw	0.61
MRH123	20mm x 23mm	2	Grade M	Self Colour	D	Screw	1.1
MRH125	23mm x 25mm	3	Grade M	Self Colour	D	Screw	1.5
MRH124	25mm x 28mm	3.8	Grade M	Self Colour	D	Screw	2.14
MRH126	28mm x 32mm	5	Grade M	Self Colour	D	Screw	2.98
MRH127	32mm x 35mm	6	Grade M	Self Colour	D	Screw	3.1

Premium Self Coloured Grade D Shackles



PRODUCT CODE	SIZE	WLL (TONNE)	TYPE	FINISH	SHAPE	CLOSING METHOD	WEIGHT (KG)
MRH340	13mm x 16mm	0.75	Grade M	Self Colour	D	Screw	0.35
MRH337	16mm x 19mm	1.5	Grade M	Self Colour	D	Screw	0.61
MRH338	20mm x 23mm	2	Grade M	Self Colour	D	Screw	1.1
MRH339	23mm x 25mm	3	Grade M	Self Colour	D	Screw	1.5
230025	25mm x 28mm	3.8	Grade M	Self Colour	D	Screw	2.14
230028	28mm x 32mm	5	Grade M	Self Colour	D	Screw	2.98

Rated Wide Body Bow Shackle



PRODUCT CODE	DESCRIPTION	MINIMUM OPENING (MM)	TYPE
MRH350	Shackle Wide Body 25T	115	Bow
MRH305	Shackle Wide Body 55T	160	Bow

Galvanised Bow Shackle



> Not to be used for lifting

PRODUCT CODE	PIN DIAMETER (MM)
MRH107	5
MRH108	6
MRH109	8
MRH102	10
MRH104	16
MRH105	20

Seizing Wire



PRODUCT CODE	DESCRIPTION
MRH315	Seizing Wire S/S 1.60mm Per Metre

Rated Screw Pin Bow Shackles



- > Proof load 2.2 times of WLL
- > Hot dipped galvanised

PRODUCT CODE	SIZE	WLL (TONNE)	NOMINAL SIZE (INCHES)	PIN DIAMETER (INCHES)
MRH134	8mm	0.75	1/3	3/8
MRH139	10mm	1	3/8	1/8
MRH135	11mm	1.5	4/9	1/2
MRH141	13mm	2	1/2	5/8
MRH142	16mm	3.2	5/8	3/4
MRH144	19mm	4.7	3/4	7/8
MRH146	22mm	6.5	7/8	1
MRH147	25mm	8.5	1	1 1/8
MRH136	32mm	12	1 1/4	1 3/8
MRH137	35mm	13.5	1 3/8	1 1/2
MRH138	38mm	17	1 1/2	1 5/8
MRH140	44mm	25	1 3/4	2
MRH143	51mm	35	2	2 1/4

STAINLESS STEEL HARDWARE

Quality 316 grade stainless steel has many uses in the marine industry where corrosion resistance is required.

Stainless Steel Shackles

Strong and reliable 316 stainless shackles provide a corrosion resistant alternative to standard mild steel shackles.



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH226	Dee Shackle Forged	4
MRH227	Dee Shackle Forged	5
MRH132	Dee Shackle Forged	6
MRH133	Dee Shackle Forged	8
MRH128	Dee Shackle Forged	10
MRH129	Dee Shackle Forged	12
MRH130	Dee Shackle Forged	16
MRH131	Dee Shackle Forged	19



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH246	Long Dee Shackle	5
MRH247	Long Dee Shackle	6
MRH248	Long Dee Shackle	8
MRH244	Long Dee Shackle	10
MRH245	Long Dee Shackle	12

Stainless Steel Clips

A variety of stainless steel clips for fast and convenient attachments.



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH261	Snap Hook	5
MRH262	Snap Hook	6
MRH263	Snap Hook	8
MRH260	Snap Hook	10
MRH429	Snap Hook	12



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH242	Locking Snap Hook	6
MRH243	Locking Snap Hook	8
MRH241	Locking Snap Hook	10



PRODUCT CODE	DESCRIPTION	SIZE (MM)
FSH0642	Asymetric Snap Hook	6
FSH0643	Asymetric Snap Hook	8
FSH0641	Asymetric Snap Hook	10
FSH0088	Asymetric Snap Hook	12
MRH419	Asymetric Snap Hook	16



PRODUCT CODE	DESCRIPTION	SIZE (MM)
BHW541	Snap Shackle with Swivel Eye	67
BHW542	Snap Shackle with Swivel Eye	89
BHW482	Snap Shackle with Swivel Eye	126



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH241	Snap Hook with Swivel Eye	10

Swivels

Available in eye and eye or jaw and jaw configuration.



PRODUCT CODE	DESCRIPTION	SIZE (MM)
FSH0647	Swivel Jaw & Jaw	6
PL1883	Swivel Jaw & Jaw	8
FSH0644	Swivel Jaw & Jaw	10
FSH0645	Swivel Jaw & Jaw	12
FSH0646	Swivel Jaw & Jaw	16



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH055	Swivel Eye & Eye	6
MRH056	Swivel Eye & Eye	8
MRH053	Swivel Eye & Eye	10
MRH408	Swivel Eye & Eye	13
MRH054	Swivel Eye & Eye	16

Eye Bolts and Anchor Points



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH256	Short Eye Bolt	6
MRH257	Short Eye Bolt	8
MRH258	Short Eye Bolt	10
MRH259	Short Eye Bolt	12



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH239	Eye Nut	6
MRH240	Eye Nut	8
MRH237	Eye Nut	10
MRH238	Eye Nut	12



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH254	Saddle	5
MRH255	Saddle	6



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH235	Eye Bolt	6
MRH236	Eye Bolt	8
MRH233	Eye Bolt	10
MRH234	Eye Bolt	12



PRODUCT CODE	DESCRIPTION	SIZE (MM)
BHW413	Eye Plate 50mm Square	8



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH228	Diamond Eye Plate	50 x 80
MRH229	Diamond Eye Plate	57 x 89
MRH286	Diamond Eye Plate	60 x 100

Turnbuckles



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH082	Turnbuckle Eye & Eye	6
MRH080	Turnbuckle Eye & Eye	10
PL3917	Turnbuckle Eye & Eye	12
MRH081	Turnbuckle Eye & Eye	16



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH085	Turnbuckle Eye & Hook	6
MRH083	Turnbuckle Eye & Hook	10
MRH280	Turnbuckle Eye & Hook	12
MRH084	Turnbuckle Eye & Hook	16



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH224	Closed Body Turnbuckle Jaw & Jaw	5
MRH361	Closed Body Turnbuckle Jaw & Jaw	6
MRH225	Closed Body Turnbuckle Jaw & Jaw	8
MRH223	Closed Body Turnbuckle Jaw & Jaw	10

Stainless Steel Wire Balustrading

We carry a wide range of wire balustrade fittings. Whether it is for your boat or your home there are options to suit your needs.



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH277	Wire 316 7 x 7 1/8" Per Roll	1/8" 3.2
MRH299	Wire 316 7 x 7 1/8" Per Metre	1/8" 3.2
MRH416	Wire 316 7 x 7 5/32" Per Metre	5/32" 4.0



PRODUCT CODE	DESCRIPTION	SIZE (MM)
FSH0648	Nickel Plated Copper Swage	1/8" 3.2
FSH0920	Nickel Plated Copper Swage	5/32" 4.0




PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH388	Rigging Screw Swage & Jaw M5	1/8" 3.2
MRH389	Fork Terminal	1/8" 3.2
MRH417	Rigging Screw Swage & Jaw M6	5/32" 4.0
MRH418	Fork Terminal	5/32" 4.0



PRODUCT CODE	DESCRIPTION	SIZE (MM)
GCH181	Wire Lag Screw Left and Right Thread	1/8" 3.2

Pully Blocks



Stainless Steel Chain



PRODUCT CODE	DESCRIPTION	SIZE (MM)
CHN080	Medium Link Chain	3
CHN054	Medium Link Chain	4
CHN032	Medium Link Chain	6
SS-CH316-08M	Medium Link Chain	8
CHN037	Medium Link Chain	10
CHN062	Medium Link Chain	12

THIMBLES

Stainless Steel Thimbles



PRODUCT CODE	DESCRIPTION	SIZE (MM)
MRH267	Thimble	2
MRH268	Thimble	3
MRH269	Thimble	4
MRH270	Thimble	5
MRH218	Thimble	6
MRH271	Thimble	8
MRH264	Thimble	10
MRH265	Thimble	12
MRH266	Thimble	16
MRH425	Thimble Heavy Wall	16
MRH216	Thimble Heavy Wall	20
MRH217	Thimble	25

Galvanised




PRODUCT CODE	TYPE	SIZE (MM)
MRH179	Standard	6
MRH182	Standard	8
MRH061	Standard	10
MRH063	Standard	12
MRH168	Standard	14
MRH170	Standard	16
MRH172	Standard	20
MRH174	Standard	24



PRODUCT CODE	TYPE	SIZE (MM)
MRH178	Heavy Duty	6
MRH181	Heavy Duty	8
MRH060	Heavy Duty	10
MRH062	Heavy Duty	12
MRH167	Heavy Duty	14
MRH169	Heavy Duty	16
MRH171	Heavy Duty	20
MRH173	Heavy Duty	24
MRH175	Heavy Duty	32
MRH177	Heavy Duty	40



PRODUCT CODE	TYPE	SIZE (MM)
MRH176	Tubular	32



PRODUCT CODE	TYPE	SIZE (MM)
MRH183	Semi-Enclosed	32-40
MRH184	Semi-Enclosed	48-56
MRH185	Semi-Enclosed	56
MRH186	Semi-Enclosed	60-66
MRH187	Semi-Enclosed	68-72
MRH188	Semi-Enclosed	76-80
MRH180	Semi-Enclosed	80

Nylon




PRODUCT CODE	SIZE (MM)
GCH164	6
GCH165	8
GCH166	10

PRODUCT CODE	SIZE (MM)
GCH167	12
GCH168	14
GCH169	16

PRODUCT CODE	SIZE (MM)
GCH170	18
GCH171	20
GCH172	24





The New Era range of tanks They are lightweight and will not rust. are designed and built to Fuel tanks are pressure tested to rigid Australian suit and expectations. The range, from 23 litre fuel tanks to 150 litre water tanks and are all produced in regional Victoria.

Tanks are used on boats, in caravans, on motorhomes, agricultural equipment, at remote locations, within engineering projects, on and around farms, at mining sites and anywhere safe and trouble-free storage of liquid products is required.

All tanks are rotationally moulded in one piece from UV stabilised polyethylene.

specifications and are explosion proof in **standards** the event of a fire.

- Australian made
- Durable HDPE material construction
- Petrol, diesel, water and bait
- Rotationally moulded
- Quality brass threaded inserts

23 Litre Pacemaker




Vented cap, a nylon pick up with plastic tube and stainless steel filter.

Approved to AS2096 standards.



Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter.

Approved to AS2096 standards.



LA1250

23L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter and a 5/16 male brass tail fitted for return diesel fuel.

LA1270 23L Diesel Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter and a 5/16 male brass tail fitted for return diesel fuel.

25 Litre Fuel Tanks



LA1500 25L Petrol Tank Vented cap, a nylon pick up with plastic tube and stainless steel filter.

Approved to AS/ NZ 2096:2001 standards



LA1520 25L Petrol Tank Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter.

Approved to AS/ NZ 2096:2001 standards.



2.0

LA1750 25L Diesel Tank Vented cap, a nylon pick up with plastic tube and stainless steel filter, plus a 5/16 male brass tail fitted, and a 5/16 male brass tail for return diesel fuel.



25L Diesel Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter, plus a 5/16 male brass tail fitted, and a 5/16 male brass tail for return diesel fuel.

28 Litre Fuel Tanks



28L Petrol Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 male tail plastic breather.



28L Petrol Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 male tail plastic breather.



LA1930 28L Diesel Tank 38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 male tail plastic breather.



28L Diesel Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 male tail plastic breather.

35 Litre Tanks





LA1970 35L Water Tank

Vented cap along with stainless M8 inserts for mounts and 2 x 3/4 threaded female outlets. Also includes a plastic 3/4 male hose tail.



35L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter, with a 5/16 male brass tail fitted in fuel pick up and a 5/16 male brass tail fitted for return diesel fuel.



LA1985


35L Diesel Tank

Vented cap, a
5/16 Gravity
feed outlet
and a 5/16
male brass
tail fitted for
return diesel
fuel.

LA1990

35L Diesel Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter and a 5/16 male brass tail fitted in fuel pick up. It also has a 5/16 male brass tail fitted for return diesel fuel and a 5/8 Male tail plastic breather.



45 Litre Petrol Tanks



LA2252 45L Petrol <u>Tank</u>

Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up and a 32mm 1 1/4 brass insert to suit an



LA2005 45L Petrol Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. Also inlcudes a 3/8 male brass tail fitted in fuel pick up and a 32mm 1 1/4 brass insert to suit an electronic sender.



45L Petrol Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA2100 45L Petrol Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.




LA2220 45L Petrol Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA2225 45L Petrol Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up and a stainless steel fuel level sender 30 ~ 240 ohms with a 52mm fuel gauge.



45 Litre Diesel Tanks



LA2252 45L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 1 1/4 brass insert to suit an electronic sender.



LA2254 45L Diesel Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 1 1/4 brass insert to suit an electronic sender.



LA2350 45L Diesel Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



45L Diesel Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



45L Diesel Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA2450 45L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 5/8 Male tail plastic breather, and a stainless steel fuel level sender 30 ~ 240 ohms with a 52mm fuel gauge.



50 Litre Fuel Tanks



LA2500

50L Petrol Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 3/8 male brass tail fitted in fuel pick up and a 32mm 1 1/4 brass insert to suit an electronic sender.



suit an electronic sender.



LA2530 50L Petrol Tank





LA2600 50L Petrol Tank 38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



50L Petrol Tank

LA2730 50L Petrol Tank 50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.

Vented cap and



50L Diesel Tank

LA2780

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also includes a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a stainless steel fuel level sender 30 ~ 240 ohms with a 52mm fuel gauge.



LA2790

50L Diesel Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. It also includes a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 1 1/4 brass insert to suit an electronic sender.

55 Litre Tanks



Vented cap along with stainless M8 inserts for mounts and 2 x 3/4 threaded female outlets. Also includes a plastic 3/4 male hose tail.



55L Water Tank



Vented cap, a nylon pick up with plastic tube and stainless steel filter, with a 5/16 male brass tail fitted in fuel pick up, and a 5/16 male brass tail fitted for return diesel fuel.



Vented cap, a 5/16 Gravity feed outlet and a 5/16 male brass tail fitted for return diesel fuel.



deck fill, a nylon pick up with plastic tube and stainless steel filter and a 5/16 male brass tail fitted in fuel pick up. It also has a 5/16 male brass tail fitted for return diesel fuel, and a 5/8 Male tail plastic breather.

38mm straight

55L Diesel Tank

55L Diesel Tank

60 Litre Water Tanks



Vented cap, a stainless steel water level sender 30 ~ 240 ohms with a 52mm fuel gauge, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet.



LA3710 60L Water Tank




LA3720 60L Water Tank 38mm deck fill, a 32mm 1 1/4 brass to suit an electronic sender, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet.



LA3701 60L Water Tank Vented cap,
a 32mm 1
1/4 brass
insert to suit
an electronic
sender, and a
20mm female
outlet.

LA3725 60L Water Tank 38mm 90 degree deck fill, a 32mm 1/4 brass insert to suit an electronic sender, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet.

60 Litre Petrol Tanks



210mm to top of tank



LA3400 60L Petrol Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



LA3410 60L Petrol Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. Also inlcudes a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



60L Petrol Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



60L Petrol Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.




60L Petrol Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



60L Petrol Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 5/8 Male tail plastic breather, and a stainless steel fuel level sender 30 ~ 240 ohms with a 52mm fuel gauge.



60 Litre Diesel Tanks



60L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line and a 32mm 1 1/4 brass insert to suit an electronic sender.



60L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a stainless steel fuel level sender 30 ~ 240 ohms with a 52mm fuel gauge.



60L Diesel Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA3520 60L Diesel Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line and a 32mm 1 1/4 brass insert to suit an electronic sender.



60L Diesel Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA3655

60L Diesel Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up a 5/16 male brass tail for diesel return line, a 32mm 1¼ brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.

Tank slopes up from 180mm to 255mm high



75 Litre Fuel Tanks



LA3750 75L Petrol Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



LA3755 75L Petrol Tank



and stainless steel filter. It also has a 3/8male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



75L Petrol Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA3850 75L Petrol Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA3930 75L Petrol Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



75L Diesel Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. It also includes a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 1 1/4 brass insert to suit an electronic sender.



LA3980

75L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also includes a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a stainless steel fuel level sendor 30 ~ 240 ohms with a 52mm fuel gauge.

280mm to highest point top of tank

80 Litre Petrol Tanks



LA4010 80L Petrol Tank Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



80L Petrol Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. Also inlcudes a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



80L Petrol Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



80L Petrol Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



80L Petrol Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/4 Male tail plastic breather.



LA4245 80L Petrol Tank Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a stainless steel fuel level sensor 30 ~ 240 ohms with a 52mm fuel gauge.

80 Litre Water Tanks





LA4751

80L Water Tank

Vented cap, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 20mm female outlet.



LA4760

80L Water Tank

38mm deck fill, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather. It also has a 20mm Female Outlet.



_A4770

80L Water Tank






LA4790

80L Water Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter and a 5/16 male brass tail fitted in fuel pick up. It also has a 5/16 male brass tail fitted for return diesel fuel, and a 5/8 Male tail plastic breather.

80 Litre Diesel Tanks





LA4251

80L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 1 1/4 brass insert to suit an electronic sender.



LA4290

80L Diesel Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 1 1/4 brass insert to suit an electronic sender.



LA4300

80L Diesel Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA4400

80L Diesel Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA4500

80L Diesel Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.




LA4550

80L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a stainless steel fuel level sensor 30 ~ 240 ohms with a 52mm fuel gauge.

85 Litre Tanks





85L Water Tank

Vented cap along with stainless M8 inserts for mounts and $2 \times 3/4$ threaded female outlets. Also includes a plastic 3/4 male hose tail.

5/16 Gravity feed outlet, and a 5/16

male brass tail

fitted for return

diesel fuel.



LA4850 85L Diesel Tank

85 Litre diesel tank with vented cap, a nylon pick up with plastic tube and stainless steel filter, with a 5/16 male brass tail fitted in fuel pick up, and a 5/16 male brass tail fitted for return diesel fuel.



LA4851 85L Diesel Tank



LA4860 85L Diesel Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter and a 5/16 male brass tail fitted in fuel pick up. It also has a 5/16 male brass tail fitted for return diesel fuel, and a 3/8 Male tail plastic breather.

90 Litre Petrol Tanks





LA5020 90L Petrol Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4brass insert to suit an electronic sender.



LA5030 90L Petrol Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a stainless steel fuel level sensor 30 ~ 240 ohms with a 52mm fuel gauge.



90L Petrol Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. Also inlcudes a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



LA5050 90L Petrol Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA5150

90L Petrol Tank





LA5230

90L Petrol Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit and electronic sender, and a 5/8 Male tail plastic breather.

90 Litre Water Tanks





90L Water Tank

Vented cap, a 32mm 1 1/4 brass insert to suit an electronic sender and a 20mm female outlet.



LA5755

90L Water Tank

Vented cap, and a stainless steel water level sender 30 ~ 240 ohms with a 52mm fuel gauge, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet.



LA5770 90L Water Tank

38mm deck fill, a 32mm 1 1/4 brass insert to suit an electronic sender and a 5/8 Male tail plastic breather. It also has a 20mm Female Outlet.



LA5775 90L Water Tank

38mm 90 degree deck fill, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet.





90 Litre Diesel Tanks



LA525190L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 1 1/4 brass insert to suit an electronic sender.

38mm straight deck

fill, a nylon pick up

and stainless steel

filter. It also has a

fitted in fuel pick

5/16 male brass tail

with plastic tube



LA5260 90L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a stainless steel fuel level sender $30 \sim 240$ ohms with a 52mm fuel gauge.



LA5270

90L Diesel Tank

Vented cap and mechanical gauge, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 1 1/4brass insert to suit an electronic sender.



LA5300 90L Diesel Tank

up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA5400 90L Diesel Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



LA3400

90L Diesel Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather. 385mm to top of tank

125 Litre Petrol Tanks





LA6010 125L Petrol Tank Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



125L Petrol Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



125L Petrol Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



125L Petro<u>l Tank</u>

Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a stainless steel fuel level sender 30 ~ 240 ohms with a 52mm fuel gauge.



125L Petrol Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.

385mm to top of tank

125 Litre Diesel Tanks





LA6250 125L Diesel Tank Vented cap, and a 20mm female transfer outlet.



125L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a 32mm 11/4 brass insert to suit an electronic sender.



125L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a stainless steel fuel level sender 30 ~ 240 ohms with a 52mm fuel gauge.



125L Diesel Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



125L Diesel Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



125L Diesel Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.

125 Litre Water Tanks



LA6810 125L Water Tank

Vented cap, a 32mm 1 1/4 brass insert to suit an electronic sender and a 20mm female outlet.



LA6820

125L Water Tank

Vented cap, and a stainless steel fuel level sensor 30 ~ 240 ohms with a 52mm fuel gauge, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet.



LA6850 125L Water Tank

38mm deck fill, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather. It also has a 20mm Female Outlet.



LA6860 125L Water Tank

38mm 90 degree deck fill, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet.

150 Litre Water Tanks



LA7760 150L Water Tank

Vented cap, a 32mm 1 1/4 brass insert for fuel sender and a 20mm female outlet.



150L Water Tank

Vented cap, and a stainless steel level sensor 30 ~ 240 ohms with a 52mm fuel gauge, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet.



LA7800 150L Water Tank



38mm deck fill, a 32mm 1 1/4 brass insert for fuel senderand a 5/8 Male tail plastic breather. It also has a 20mm Female Outlet.



LA7810 150L Water Tank

38mm 90 degree deck fill, a 32mm 1 1/4 brass insert for fuel sender, and a 5/8 male tail plastic breather. It also has a 20mm Female Outlet. 475mm to top of tank

150 Litre Petrol Tanks





Vented cap, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a 32mm 1 1/4 brass insert to suit an electronic sender.



150L Petrol Tank

tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, and a stainless steel fuel level sender 30 ~ 240 ohms with a 52mm fuel gauge.

Vented cap, a nylon

pick up with plastic

150L Petrol Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to

suit an electronic

sender, and a 5/8

Male tail plastic

breather.



150L Petrol Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. Also includes a 3/8 male brass tail fitted in fuel pick up, a 32mm 1 1/4 brass insert to suit an electronic sender, and a 5/8 Male tail plastic breather.



150L Petrol Tank

385mm to top of tank

150 Litre Diesel Tanks





LA7500 150L Diesel Tank

Vented cap and 20mm female transfer outlet.



150L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line and a 32mm 1 1/4 brass insert to suit an electronic sender.



150L Diesel Tank

Vented cap, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up, a 5/16 male brass tail for diesel return line, and a stainless steel fuel level sender $30 \sim 240$ ohms with a 52mm fuel gauge.



150L Diesel Tank

38mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender and a 5/8 Male tail plastic breather.



150L Diesel Tank

38mm 90 degree deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender and a 5/8 Male tail plastic breather.



150L Diesel Tank

50mm straight deck fill, a nylon pick up with plastic tube and stainless steel filter. It also has a 5/16 male brass tail fitted in fuel pick up a 5/16 male brass tail for diesel return line, a 32mm 1 1/4 brass insert to suit an electronic sender and a 5/8 Male tail plastic breather.

Tank Extras



DESIGN

New Era tanks are designed and manufactured in Australia to Australian conditions. All our tanks are roto moulded giving a 6mm skin preventing permeation and providing a safe and strong product.



BRASS INSERTS

New Era tanks includes quality brass inserts moulded into the tanks during manufacturing. Many of our products include up to 4 3/8 inserts and some also have a 1 1/4 insert. This allows the user a multitude of choices regarding breathers, extra pick-ups, as well as electronic senders and gauges.



MALE TAILS

Many New Era tanks are sold with standardised brass male tail sizings. The buyer can request different sizes according to requirements..



90 DEGREE TAILS

Many New Era tanks are sold with straight brass male tail sizings. The buyer can request 90 degree tails according to requirements.



TRANSFER TANKS

For the quick transfer of fuel, our tanks can include a 20mm female brass outlet.



GRAVITY FEED

Our gravity feed options include stainless steel or brass fittings dependant on the product stored. Sizings include 3/8" and 5/16".



CROSSLINK


Our 125 litre and 150 litre petrol tanks are produced with crosslink polyethylene to ensure we provide you with the strongest possible product to match the extra storage size.



BREATHERS

All tanks sold through New Era tanks have allowance for breathers. Either through vented caps, or through 90 degree plastic fittings. It is imperative that fuel tanks have facility to properly breathe.

Live Bait Tanks









LA9000

35 Litre

This tank includes moulded internal handles.

Height: 350mm Depth: 260mm Width: 485mm



55 Litre

Height: 370mm
Depth: 300mm
Width: 610mm

LA9400

65 Litre

This tank **does not** include stainless steel inserts for mounts

Height: 365mm Depth: 405mm Width: 405mm





LA9600

85 Litre

Height: 530mm
Depth: 300mm
Width:: 605mm

LA9750

100 Litre

This tank includes a 3/4" brass female thread for drainage.

Height: 360mm Depth: 645mm Width: 490mm

Berley Buckets



LA9520

Short Transom Berley Bucket



LA9522

Long Transom Berley Bucket



LA9525

D-Shaped Fixed Berley Bucket



LA9530

D-Shaped Removable Berley Bucket with bracket



Suits both
D-shape and
Large round
buckets and
includes through
bolt with cotter
pin for ease of
removal

Stainless Steel Bracket for removeable buckets



LA9534

Large Round Removable Berley Bucket with bracket



LA9540

Short Marlin Berley Bucket



LA9542

Long Marlin Berley Bucket



In the challenging and unpredictable environments of our oceans, it's crucial to have Personal Protective Equipment (PPE) that ensures your safety while enabling freedom of movement for work and fishing activities.

Our selection of high-quality PPE is designed to safeguard you, allowing you to focus on your expertise without worrying about your protection.

APRONS

Aprons are designed for use as fish industry workwear and for commercial use, such as for cleaning and preparing food. Many saltwater fishermen use the apron for preparing their catch.





Hepworths Platilon

PRT240









PRT260
Hepworths Platilon
Apron

Apron

COLOUR: Red

COLOUR: Blue

PRT241

COLOUR: White

Hepworths Platilon

PRT252 - PRT253

Polyester, Extra Tough, PVC Apron Tapes

COLOUR: Blue & White

PRT315

Stormline Apron with Elastic Braces

COLOUR: Navy



A-F2/TAPE PVC Reinforced Front

PL0128

Apron

COLOUR: White or

Blue



A-F1/TAPE PVC with Brass Eyelets Apron COLOUR: White or Black

PL0129



PL2548

Short A-F4/TAPE
PVC
White Apron
COLOUR: White



GCH517
Seamaster Cap



Seamaster Beanie

GCH505



GCH127 Balaklava

HEADWEAR

EYEWEAR

Ensure you keep your eyes protected with glasses from Seamaster. Clear and tinted safety glasses for general use and a great range of quality sunglasses from Ugly Fish and Askhuey. Ugly Fish Indestructables are perfect for the everyday bloke who tends to be a little rough with their sunnies. The TPEE frame is a rubber like material that is extremely flexible and lightweight making them virtually unbreakable. Polarised indestructables provide maximum UV protection and are super comfortable to wear all day long.













Frontier Vision X Safety Glasses

SFT003

Ugly Fish Matt Black Frame, Smoke Polarised Sunglasses

PRT169

Ugly Fish Matt Black Frame, **Brown Polarised** Sunglasses

PRT169

Ugly Fish Shiny Black Frame, Smoke Polarised Sunglasses

PRT169

Ugly Fish Shiny Black Frame, **Brown Polarised** Sunglasses

PRT169







PRT344





PRT169 Ugly Fish Black Frame, **Smoke Polarised** Sunglasses

Ugly Fish Black Frame. **Brown Polarised** Sunglasses

PRT169

Ugly Fish Matt Black Frame, Smoke Polarised Bifocal 1.5. 2.0 or 2.5 Sunglasses

Ugly Fish Black Frame, Smoke Polarised Wraparound Sunglasses

PRT347

Floating Sports Strap Red or Black

PRT346

Neoprene Sports Strap Long or Short

PRT345











PRT345 Adjustable Sports Strap

Sunglasses Strap Askhuey Neoprene Black

PL2066

Sunalasses Polarised Askhuey

PL2067

Sunalasses Rapid Pro with 3 sets of Interchangeable Lenses

PL2068

Binoculars 7x50 Auto Focus Standard Black

PL0221

Binoculars 7x50 Plastimo Waterproof Blue/Black

PL0223



PL2550

GLOVES

Suppliers of a range of quality gloves. Seamaster has sourced these gloves keeping in mind the rugged conditions they will be used in, and the dexterity and protection essential for the long working days. Offering quality solutions for protection against the elements.

Some of the terms used to describe gloves include a cut rating, out of 5, with 5 being the highest.

LYNN RIVER

A heavy-duty rubber glove which has excellent wet or dry grip and offers excellent resistance to abrasion and tears. The cotton liner provides a comfortable fit.



PRT221

Lynn River Orange Gloves 62060

SIZE: 7 - 10



PRT026

Frontier Orange Ruffy

SIZE: M - XL



PRT172

Frontier Splendor Winter Cut Level 2

SIZE: 8 - 10



PRT023

Ansell Hycare Cotton Lined Rubber Glove Cut Level 2

SIZE: 7 - 10



PRT017

Ansell Alphatec Gladiator Green Gloves

SIZE: 7 - 10

FRONTIER

Orange Ruffy Glove

Orange latex crinkle cut grip finish with 100% cotton interlock lined for comfort and insulation from heat and cold.

Splendor Winter Lined Glove

Roughened latex coating for excellent wet and dry grip. Excellent abrasion and puncture resistance with seamless polyester cotton with terry brushed liner for added warmth.

ANSELL

Hycare

Roughened latex coating for excellent wet and dry grip. Excellent abrasion and puncture resistance with seamless polyester cotton with terry brushed liner for added warmth.

Gladiator

An ergonomical designed glove with natural rubber coating on an interlock liner.

ANSELL

Premium

Premium natural rubber glove with superior performance and durability.



Ansell Alphatec Premium Pink Gloves

SIZE: 8 - 10



PL0864

Ansell Alphatec Chemi Pro Gloves



PRT273

Bastion Modina Cut

SIZF: 8 - 10



PRT276

Bastion Modina Cut Level 5 Glove Liner

SIZE: 8 - 10



PRT267

Bastion Soroca Hi-Viz Green

SIZE: 8 - 10



PRT281

Bastion Cottonlined Rubber Rough Grip

SIZE: 9 - 10

Chemi-Pro

Bi-colour double dipped natural rubber & neoprene with flocked lining.

BASTION

Modina

Seamless breathable knitted high visibility acrylic loop shell for level 2 contact cold resistance as low as -30°C. Cut level 3 protection. Sandy latex coating provides good flexibility, dexterity and oil resistance. Elastic knitted cuffs for comfortable secure fit.

Cut 5 Liner Glove

HPPE/Glass fibre cut level 5 liner glove with excellent dexterity and feel. Lightweight and uncoated featuring elastic knitted cuffs for comfortable secure fit and is washable and reusable.

Soroca Hi-Viz

Seamless breathable high visibility HPPE/glass fibre cut level 5 shell with ergonomic design to ensure reduced hand fatigue. Double layer shell for superior feel and comfort and is oil resistant with breathable micro foam nitrile providing superior flexibility and dexterity over most cut level 5 gloves. All material is breathable.

Cottonlined Rubber Rough Grip

Natural rubber latex with rough granular finish for ultimate wet and dry grip. 1.2mm thickness for exceptional strength and puncture resistance. Cottonlined for superior comfort, perspiration absorption and cold resistance

NINJA GLOVES

Seamless 15 gauge nylon shell for second skin sensitivity. Feather-light black polyurethane coating conceals dirt/grime and provides excellent grip in wet, dry and light oil applications.







PRT175 - PRT178 Ninja P4001HPT.S

SIZE: 7-10

PL0889 PL0888 Ninja Gloves Ninja Ice Gloves SIZE: S - 2XL SIZE: S- 2XL

OTHER





Red PVC Single Dip

Gloves



PL4258

3M Thinsulate

Freezer Gloves

SIZE: S - 2XL



PL0872



Shogun Red Cotton Gloves 12 pack

PL0894



PL0896

12 pack

Shogun White Cotton Gloves

SIZE: 10	SIZE: 10
	3
PL0862	PL3471
Blue Nitrile Gloves	Red PVC





Shogun Red Cotton Gloves 12 pack





				*	1
PL0862	PL3471	PL0893	PL0892	PL4257	PL2939
Blue Nitrile Gloves	Red PVC Chemical Gloves 27cm	Red PVC Chemical Gloves 45cm	Green PVC Chemical Gloves 27cm	3M Arm Guard Protector	Guy Cotton Arm Guard Protector
SIZE: 8 - 10					

BOOTS AND GUMBOOTS

Mack "FORCE" Safety Boots

The Mack "FORCE" Zip Boot is ideal for workers exposed to, or working around water as well as those who are required to remove their footwear multiple times a day.

Features

- > Steel toecap
- > Slip resistant sole
- Heat resistant sole up to 150 degrees
- > Oil and fuel resistant sole
- > Anti-static
- > Water shedding material
- > Scuff cup
- > Approved to AS/NZS 2210.3 (Class I S1 SRC)





PRODUCT CODE	SIZE	COLOUR
PRT397	UK 8	Honey
PRT398	UK 9	Honey
PRT399	UK 10	Honey
PRT400	UK 11	Honey
PRT401	UK 12	Honey
PRT402	UK 13	Honey

Recreational Boots

Warm, Comfortable and Sole Grip to suit your application, Burke Seaboots are perfect for sailing and Fly N Dry Neoprene boots will keep you dry and warm.



PRT361

Burke Seaboots with cut sole



PRT283

Fly N Dry Neoprene Boots



PRT342

Fly N Dry Launching Boots

Bekina StepLiteX Safety Toe

Made from flexible NEOTANE – a high quality polyurethane and are a wide fit to ensure user-comfort. Resistant to oils, fats, blood and chemical cleaning products. These boots are light yet strong and have a high thermal insulation.



STYLE	8	9	10	11	12	13	14
BEKINA STEPLITEX	PRT384	PRT385	PRT386	PRT387	PRT388	PRT389	PRT390

Dunlop Purofort

Lightweight for minimising foot fatigue, SRC rated (slip resistant) outsole for excellent grip and high traction on uneven surfaces for maximum safety.



Maxisafe 'Shova' PVC Gumboot

Lightweight, general purpose PVC gumboot manufactured from virgin PVC material. Resistant to oils, acids, fats and other animal by-products.



STYLE	8	9	10	11	12	13
MAXISAFE SHOVA	FWG905-08	FWG905-09	FWG905-10	FWG905-11	FWG905-12	FWG905-13

WADERS

We stock both neoprene and shell style waders to suit any application. Both styles of waders have been developed in South Australia and the success of these designs come as a result of many years of trial and error. Made from premium materials, these waders will keep you dry and let you get on with the reason you are standing in a puddle in the first place.



PRODUCT CODE	STYLE	SIZE
PRT242	Aussie Oyster Wear	7 - 13 S - 3XL



PRODUCT CODE	STYLE	SIZE
PRT308	Fly 'n Dry Neoprene Waders (Blundstone Boot)	6 - 13



PRODUCT CODE	STYLE	SIZE
PRT070	Tuffwear Full Length Waders	8 - 12



PRODUCT CODE	STYLE	SIZE
PRT309	Fly 'n Dry Neoprene Waders (Hardsole Boot)	6 - 13



PRODUCT CODE	STYLE	SIZE
PL4550	Elka Waders (Dunlop Boot)	UK 7 - 12



PRODUCT CODE	STYLE	SIZE
PRT107	Budget PVC Chest Waders	9 - 12



PRODUCT CODE	STYLE	SIZE
PL2442	Horne's Pimple Sole Waders	6 - 12



PRODUCT CODE	STYLE	SIZE
PRT111	Budget Neoprene Waders	9 - 13



PRODUCT CODE	STYLE	SIZE
PL2441	Horne's Oyster Waders	6 - 12



PRODUCT CODE	STYLE	SIZE
PRT209	Kaiwaka Tufflon Wader Covers	5 - 3XL

WET WEATHERS

Seamaster is a distributor of Stormline, Kiawaka and Horne's Aqua wet weather gear. Ranging from heavy duty material for heavy duty work, through to super comfortable light weight trousers and jackets in breathable, stretch fabric.

We recommend that you always wear an approved life jacket, where applicable.

STORMLINE

Stormline Milford

The Milford 649 foul weather fishing pants is a unisex design with a high back, elasticated waist and adjustable side gusset on larger sizes for comfort and durability. The 649 includes knee pads as standard and a reinforced 2-layer 630 gsm PVC front. A highly comfortable bib and brace designed for all conditions.

The Milford 249 foul weather fishing jacket is built for comfort and durability. Made with 630 gsm PVC, the jacket is designed to be comfortable and to withstand the harshest environments. The jacket is also a unisex design. The grey/neon colours are designed for safety and to look good as well!



PRODUCT CODE	STYLE	SIZE
PRT127	Milford 649 Bib	S - 3XL
PRT132	Milford 249 Jacket	S - 3XL

STORMLINE

Stormline Stormtex Air

Stormtex Air is a lightweight wet weather gear designed for commercial and recreational fishing, commercial users and agriculture. It is designed to be comfortable, with the 320 gsm PVC/PU being the perfect balance between weight and durability.



PRODUCT CODE	STYLE	SIZE
PRT143	Stormtex Air Bib 660	S - 3XL
PRT148	Stormtex Air 203 Jacket	S - 3XL

Flotation Bib

The Stormline fishing flotation pants have special closed cell foam in the knees and the front and back to provide additional safety, allowing the wearer assisted flotation in the water as a certified aide and designed for 50N of buoyancy. The cut of the floatation pants are designed so that you can keep working freely, with an adjustable waist and ventilation on either side.

These fishing flotation pants are popular for commercial fishermen working alone at sea, trawlers and for general safety for anyone working around water. This product is EN ISO 12402-5 certified and approved by Maritime New Zealand as a Type 403 and 405 inherently buoyant flotation device.



PRODUCT CODE	STYLE	SIZE
PRT257	Flotation Bib 662	S - 3XL

STORMLINE

Nelson

Combining lightweight material with robust design for the ultimate in on-the-job weather protection. Every technical detail you require has been engineered and designed into the Nelson 248 waterproof rain jacket and not a single gram of weight goes to waste.

Optimised and designed for weather protection in warmer climates, keeping you dry and cool without weighing you down. The Nelson 948 wet weather gear short sleeve jacket is built for comfort and engineered to last, handling all types of inclement weather with ease. The perfect choice for recreational fishing, marine work and sailing.

Designed with visibility, safety and ultimate comfort in mind, the Nelson 656 wet weather gear bib & brace is a highly technical solution for professionals who can't let the weather get in the way of their work. Triple-padded knees, premium grade 480gsm PVC and seamless trousers are just a handful of the features that make the 656 popular with commercial and leisure fishermen around the world.



PRODUCT CODE	STYLE	SIZE
PRT237	Nelson A248 Jacket FSLV	S - 3XL
PRT238	Nelson A948 Jacket 1/2 SLV	S - 3XL
PRT239	Nelson A656 Bib	S - 3XL

Commercial Fishing Sleeve

Oil and liquid resistant arm sleeves for harsh commercial conditions. Keep your arms, fishing gear and wet weather jackets protected, clean and dry whatever the task at hand.



PRODUCT CODE	STYLE	SIZE
PRT168	Commercial Fishing Sleeve	One Size

STORMLINE

Stormline Fishermans Vest 985 & 982TN

Designed for anyone working outdoors, this popular vest is a must-have for fishermen, builders, farmers and forestry workers. With a fleece lining and rear storm flap this oilskin vest will keep you warm and dry.



PRODUCT CODE	STYLE	SIZE
PRT139	Fishermans Vest 985	S - 3XL
PRT155	Fishermans Vest 982TN	S - 3XL

Atlantic 806 Pullover

Designed for warmth and durability, the Atlantic 806 fleece/PVC pullover has warm fleece with heavy duty 650gsm PVC to withstand the demands of commercial fishing. The PVC goes up to the shoulder for operating traps or other equipment. This pullover is great for warmth and is waterproof and durable where it counts. The pullover includes fleece lined sleeves for comfort and adjustable neoprene cuffs to help keep the water out.



PRODUCT CODE	STYLE	SIZE
PRT295	Atlantic Pullover	S - 3XL

KAIWAKA

Tufflon Bib and Jacket

Our Tufflon Fisherman's Bib Overtrousers are intensely durable, highly resistant to abrasions, incredible tear strength and 100% waterproof. The Fisherman's Parka is an ultra-durable, lightweight jacket and exceptionally resistant to abrasions and has amazing tear strength, not to mention it's also 100% waterproof and comfortable.



PRODUCT CODE	STYLE	SIZE
PRT203	Tufflon Fishermans Bib Overtrousers	S - 3XL
PRT198	Tufflon Parka	S - 3XL
PRT209	Tufflon Wader Covers	S - 3XL

Aquaseal Bib and Jacket

Specifically designed for extreme weather conditions the Aquaseal Parka is one of our most sought-after jackets. Made to withstand fish fats and oils, along with the wild weather, this durable and comfortable hi-vis jacket is everything you need.

Aquaseal Fishman's Bib Overtrousers are crafted for the express purpose of protection against the harshest fishing conditions while also being comfortable and resistant to fish fats and oils.



PRODUCT CODE	STYLE	SIZE
PRT186	Aquaseal Parka	S - 3XL
PRT192	Aquaseal Bib Overtrousers	S - 3XL

KAIWAKA

Stormforce TTMC-W

Stay safe, dry, and warm with total ease of movement, comfort, and breathability with KAIWAKA Stormforce TTMC-W jacket. Safety rated, and 100% wind and rain-proof, this premium twin-skin, high vis safety jacket is the ultimate protection on the work site, regardless of the weather.



PRODUCT CODE	STYLE	SIZE
PRT298	Stormforce TTMC-W	S - 3XL

Windtec

Offering streamlined design and unmatched windproof and waterproof performance, this wet weather gear has you covered with long-lasting comfort and coverage.



PRODUCT CODE	STYLE	SIZE
PRT215	Windtec Sleeveless Vest	S - 6XL
PL3402	Windtec Short Sleeve Vest	S - 6XL



PRODUCT CODE	STYLE	SIZE
PL1181	Windtec PVC Parka	S - 3XL
PL1187	Windtec PVC Overtrousers	S - 3XL
PL3393	Windtec PVC Bib Overtrousers	S - 3XL

KAIWAKA

Kaiwaka Weathershield

Built strong, to take you through the harshest conditions and toughest jobs, this high-end camo fleece is your goto garment for working and playing outdoors. Great by itself or layered up. Supreme weatherproofing combined with microfleece comfort, designed, and engineered to perfection.



PRODUCT CODE	STYLE	SIZE
PRT350	Kaiwaka Weathershield Long Sleeve Hood Olive	S - 4XL
PRT351	Kaiwaka Weathershield Short Sleeve Hood Olive	S - 4XL
PRT352	Kaiwaka Weathershield Long Sleeve Hood Camo	S - 4XL

HORNE'S AQUA

The garments are designed for especially rugged conditions to protect you from wind and rain whilst providing ease of movement and extra comfort. All seams are High Frequency welded which provides strength, durability, and total waterproof protection.



PRODUCT CODE	STYLE	SIZE
PL2073	Marine Fresh Wet Weather Set	M - 2XL

BOURKE MARINE

Designed for harbour and light coastal use with features that will keep you dry and comfortable. Made from durable nylon-coated Superdry fabric and incorporating TSS technology and a breathable lining, Superdry Jackets and Trousers are 100% waterproof and super tough - but soft on the skin. That's why it is a favourite among yachties, fishermen and marine workers alike.



PRODUCT CODE	STYLE	SIZE
PRT409	Burke Marine Super Dry 3/4 Jacket Blue	XS - XL
PRT414	Burke Marine Super Dry Trousers Blue	XS - XL

ELKA

Due to the demand from Industrial markets, ELKA has developed a series of high-quality and certified work rainwear for optimum safety in the most exposed work areas. Developing the strongest waterproof workwear on the market, ELKA's quality assurance is the key to their premium product range for protection against the extremes.



PRODUCT CODE	STYLE	SIZE
PL4334	Elka Polar Fleece Jumper PVC Bib and Arms	XS - 5XL



PRODUCT CODE	STYLE	SIZE
PL4320	Elka Unlimited Bib & Brace	S - 6XL
PL4319	Elka Unlimited Jacket	S - 6XL



PRODUCT CODE	STYLE	SIZE
PL4318	Elka Xtreme Bib & Brace	S - 6XL
PL4317	Elka Xtreme Jacket	S - 6XL

TUFFMAR INTERNATIONAL

Australian made and owned wet weather gear for Australian conditions.

Warm Wear Jacket & Sleeveless Vest

Specifically designed for the commercial fishing industry. Featuring a waterproof PVC Galeforce outer shell and Fibrepile inner lining for warmth.





PRODUCT CODE	STYLE	SIZE
TF110	Warm Wear Jacket	S - 3XL
TF105	Warm Wear Vest	S - 3XL

WATERPROOF GEAR BAG












PRT419 Blue Marine Yachtsman Waterproof Gear Bag 70Ltr Yellow

Blue Marine Yachtsman Waterproof Gear Bag 40Ltr Blue Marine Yachtsman Waterproof Gear Bag 70Ltr Black

PRT463

Blue Marine Yachtsman Waterproof Gear Bag 60Ltr Black

PRT417



Seamaster has earned a reputation for supplying top quality rope and cordage across the spectrum of marine, aquaculture and commercial fishing applications.

With materials ranging from polypropylene and polyolefin, to dyneema and nylon, Seamaster can provide rope, braids, and cordage to suit your needs. Sizes from 1mm in netting twine right up to 100mm 8 strand mooring lines.

Seamaster offers high quality ropes for use in many applications. From commercial fishing and mooring, to shipping and general purpose. Our ropes are UV treated to cope with the harsh environment and have been developed directly in consultation with our manufacturers and customers and selected to ensure value, quality and consistency.

Offered in coils usually at 250m, most rope can be cut to length or ordered in a length that suits your application.

3 STRAND

Duradan Candy

Made from a 50/50 blend of Duradan Silver and Duradan Mono yarns, is a high strength, abrasive resistant, medium/hard lay rope specifically for the cray fishing industry. The term Candy comes from its 'candy bar' type appearance.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP404	10	220	1,900
ROP401	12	220	2,600





SuperTec

Our premium product, offering superior strength for size and abrasion resistance for diameter. In essence, a smaller rope can be used to achieve an equivalent break strain requirement. SuperTec is easy to handle, floats and does not absorb water. All Supertec 3 strand rope is medium lay.



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP230	4	250	
ROP209	5	250	
ROP128	6	250	850
ROP216	7	250	
ROP129	8	250	1,450
ROP130	9	250	1,830
ROP131	10	250	2,190
ROP132	12	250	3,200

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP134	14	250	4,250
ROP135	16	250	5,400
ROP137	18	250	6,900
ROP138	20	250	8,200
ROP139	24	250	11,800
ROP141	28	250	15,600
ROP142	32	250	19,600
ROP147	40	250	29,600

SuperDan

A supplement range to the SuperTec line, SuperDan is an economical yet long lasting rope that is tough and provides low friction over multiple surfaces. Life span of this rope is generally 10% greater than that of a standard PP rope. SuperDan will float in water, does not loose strength when wet and has good UV resistance.



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)	LAY
PL3588 - WHITE	4	250		
ROP198 GREY / BLUE	6	500	680	Medium
ROP391 - BLUE ROP392 - YELLOW ROP393 - RED	9	250	1,360	Medium
ROP089 - BLACK	9	250	1,360	Hard
ROP394 - BLUE ROP395 - YELLOW ROP396 - RED	10	250	1,600	Medium
ROP398 - BLUE ROP093 - BLACK	12	250	2,250	Medium / Hard
ROP400 ROP095 - BLACK	14	250	3,000	Medium
ROP399 - BLUE	14	250	3,000	Medium / Hard
ROP102 - BLACK	20	250	5,600	
ROP105 - BLACK	24	250	8,100	Medium / Hard



Powermixed

Specifically selected for the cray fish industry for its durability and strength. Constructed from a blend of polyolefin and polyester, Powermixed has a neutral – negative buoyancy with excellent wearing properties.



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP384	6	500	900
ROP571	7	500	1,250
ROP572	8	125	1,600
ROP573	9	125	2,000
ROP353	9	250	2,000
ROP574	10	125	2,400
ROP383	10	250	2,400
ROP575	12	125	3,400
ROP382	12	250	3,400
ROP374	14	250	4,700



PE Silver

Usually identified as "Silver" rope, offering great handling, floating rope with excellent UV properties. A very good general-purpose rope. All PE Silver 3 strand rope is medium lay.



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP054	6	125	370
ROP055	6	250	370
ROP056	8	125	620
ROP057	8	250	620
ROP058	9	250	770
ROP059	10	125	940
ROP060	10	250	940
ROP061	12	125	1,260
ROP062	12	250	1,260

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP063	14	250	1,440
ROP064	16	250	2,120
ROP065	18	250	2,590
ROP066	20	250	3,160
ROP067	24	250	4,390
ROP068	28	250	5,490
ROP069	32	250	7,770
ROP070	40	250	12,130

Powertwist

Polyethylene Silver 3 strand Rope.



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
PL3643	8	220	1,100
PL1730	10	220	1,600
PL1732	12	220	2,200
PL1734	14	220	3,100
PL1737	16	220	3,800
PL1739	18	220	7,000
PL1740	20	220	8,100
PL1741	22	220	7,000
PL1742	24	220	8,100
PL1743	32	220	13,500



Hard-Lay Aquatec

Donaghy's legendary Aquatec formula in a tighter lay made exclusively for Seamaster. The tighter lay provides higher abrasive resistance.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP430	8	250	1,200
ROP425	9	250	1,500
ROP426	10	250	1,800
ROP427	12	250	2,700
ROP428	16	250	4,500





Polyester Tarred 3-strand Longline Rope

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	COLOUR
PL1789	3	1,000	Black
PL1788	5	500	Black
PL1790	7	500	Black



Magni Polysteel

Manufactured from 100% High Tenacity Polypropylene, Magni Polysteel has an MBL approximately 30% higher than conventional PP ropes. With a UV Stabilisation of 3%, this rope is a great all-rounder.



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP415 - GREEN	7	250	700
ROP417 - GREEN ROP418 - ORANGE	8	250	1,350
ROP406 - YELLOW ROP420 - GREEN	9	250	2,000
ROP407 - YELLOW ROP421 - GREEN	10	250	3,000
ROP409 - YELLOW ROP422 - GREEN	12	250	2,840
ROP411 - YELLOW	14	250	3,910
ROP412 - YELLOW	16	250	4,900
ROP413 - YELLOW	20	250	7,520




Powerdan

Made from high quality polyolefin fibre. This rope offers great tenacity and high strength.













PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP270	18	250	5,700
ROP271 GREEN / YELLOW	20	250	6,800
ROP534	22	250	8,200
ROP272	24	250	9,600
ROP255	28	250	12,600
ROP273	32	250	16,000

8 STRAND

Seamaster stocks a range of 8 strand ropes, ideal for mooring and towing applications. We hold standard shipping lines in 220m lengths with soft eyes and eye covers at each end, in 56mm, 64mm and 72mm diameter. Please enquire for specific lengths, in house splicing and other available sizes.

Powertex



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP317	28	250	17,400
ROP507	32	250	22,700
ROP371	38	250	31,800
ROP293	44	250	41,700
ROP519	50	250	52,200
ROP296	56	250	65,000
ROP508	64	250	84,000
ROP516	72	250	106,000
ROP518	85	250	146,000
ROP517	100	250	200,000



Powerdan



Made from high quality polyolefin fibre, this rope offers great tenacity and high strength.



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP389	22	220	8,200
ROP253	32	220	17,600
ROP274 BLACK + YELLOW	32	250	
ROP529	36	250	22,100

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP254	40	220	27,500
ROP530	40	250	27,500
ROP531	48	250	38,100
ROP258	52	220	45,200
ROP333	64	220	65,000

Powertex



PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	COLOUR
ROP532	28	220	White
ROP533	32	220	White



SuperTec

Our premium product offering superior strength for size and abrasion resistance. In essence, a smaller rope can be used to achieve an equivalent break strain requirement. SuperTec is easy to handle, floats and does not absorb water.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP140	24	250	13,400
ROP143	32	250	22,700
ROP149	44	250	38,000
ROP009	50	250	52,200
ROP010	56	250	62,600
ROP242	72	250	101,100



SuperDan

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP170	32	220	16,800
ROP007	40	220	25,700
ROP108	48	220	36,600
ROP164	56	220	48,700
ROP165	64	220	62,500
PL1752	64	120	
ROP110	72	220	77,900



12 STRAND

Powerdan



High tenacity polyprop 12 strand rope.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)	COLOUR	LAY
ROP096	14	250	3,600	Grey/Red	Medium
ROP097	14	250	3,600	Yellow/Black	Medium
ROP346	16	250	4,500	Sea Green	Medium
ROP313	20	250	6,800	Sea Green	Medium/Soft



LEAD CORE

Powerlead

Our 3-Strand Lead Core range. Made from the same material used in our Powerdan range with a choice for either lead wire or beads to add weight where a sinking rope is required for applications like gill nets or long lines.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	WEIGHT (GMS/METRE)
ROP205	7	250	40
ROP309	7	250	60
ROP310	9	200	200
ROP311	12	110	220
ROP312	14	200	400





BRAID

Polyester Bowline Double Braid Rope

100% Polyester core & cover rope manufactured in Australia. Designed with optimal strength and density to provide long life and consistent performance. Easy to use, multiple applications and good UV resistance.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	COLOUR
RPB169	4	100	Solid Black
RPB131	6	200	Solid Black
RPB025	8	200	Solid Black
RPB049	10	200	Solid Black
RPB128	12	100	Solid Black
RPB129	14	100	Solid Black
RPB116	16	100	Solid Black
RPB184	20	100	Solid Black



Polyester 8-Plait VB Cord

100% polyester core and cover – 8-plait construction. General purpose cord for lacing and lashing. Flexible, versatile and good UV and chemical resistance. **Available in white only.**

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)
RPC109	2	100
RPC110	2	500
RPC111	3	100
RPC112	3	500
RPC113	4	100
RPC114	4	500
RPC115	5	100
RPC116	5	500
RPC117	6	100
RPC118	6	500



Falcon Braid with Urethane Impregnated Core

100% UHMWPE (Urethane Impregnated) core and 100% Polyester cover. Light yet strong with very low stretch and excellent UV and water resistance. Manufactured in Australia.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	COLOUR
RPB132	2	100	Red
RPB133	2	100	Green
RPB134	2	100	Blue
RPB135	2	100	Yellow
RPB136	3	100	Red
RPB137	3	100	Blue
RPB138	3	100	Green
RPB139	3	100	Yellow
RPB140	4	100	Red
RPB141	4	100	Blue
RPB142	4	100	Green
RPB143	4	100	Yellow
RPB144	5	100	Red
RPB145	5	100	Blue
RPB146	5	100	Green
RPB147	5	100	Yellow




Double 16 Braided Polyester

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	COLOUR
PL1719	4	500	White + Yellow
PL1728	6	200	White + Blue
PL1729	8	200	White + Red
PL1720	10	200	White
PL1722	12	200	White + Blue
PL1724	14	100	White + Yellow
PL1726	16	100	White + Black
RPB112	18	100	White + Black



TWINE







PRODUCT CODE	DESCRIPTION	COLOUR
RPC081	Twine Braided Nylon Tarred, 16 Braids, 1.0mm x 1kg	Black
RPC083	Twine Braided Nylon Tarred, 16 Braids, 1.5mm x 1kg	Black
RPC085	Twine Braided Nylon Tarred, 16 Braids, 2.0mm x 1kg	Black
RPC087	Twine Braided Nylon Tarred, 16 Braids, 2.5mm x 1kg	Black
RPC089	Twine Braided Nylon Tarred, 16 Braids, 3.0mm x 1kg	Black
RPC091	Twine Braided Nylon Tarred, 16 Braids, 4.0mm x 1kg	Black
PL2371	Twine Braided Nylon Tarred, 16 Braids, 5.0mm x 1kg	Black
PL2372	Twine Braided Nylon Tarred, 16 Braids, 7.0mm x 1kg	Black



PRODUCT CODE	DESCRIPTION	COLOUR
PL2381	Twine Euroflex Soft Polyblend 3.0mm x 2kg	Green + White
PL2382	Twine Euroflex Soft Polyblend 4.0mm x 2kg	Green + White
PL2383	Twine Euroflex Soft Polyblend 5.0mm x 2kg	Green + White
PL4277	Twine Euroflex Soft Polyblend 10mm x 7kg	Green + White



PRODUCT CODE	DESCRIPTION	COLOUR
PL2560	Twine Euroline Flat PE 3.0mm x 2kg Spool	Green
PL2384	Twine Euroline Flat PE 4.0mm x 2kg Spool	Green
PL2385	Twine Euroline Flat PE 5.0mm x 2kg Spool	Green
PL2386	Twine Euroline Flat PE 6.0mm x 2kg Spool	Green



PRODUCT CODE	DESCRIPTION	COLOUR
PL2390	Twine PE Mending .40mm/12 x 1kg	Orange
PL2391	Twine PE Mending .40mm/21 x 1kg	Orange



PRODUCT CODE	DESCRIPTION	COLOUR
PL2392	Twine Solid Euroline 2.5mm x 2kg Spool	Green + Yellow
PL2393	Twine Solid Euroline 3.0mm x 2kg Spool	Green + Yellow
RPC099	Twine Solid Euroline 4.0mm x 2kg Spool	Green + Yellow
PL2394	Twine Solid Euroline 5.0mm x 2kg Spool	Green + Yellow



PRODUCT CODE	DESCRIPTION	COLOUR
PL2395	Twine Solid Euroline Gold 1.3mm x 2kg Spool	Green + Gold
PL2396	Twine Solid Euroline Gold 1.8mm x 2kg Spool	Green + Gold



PRODUCT CODE	DESCRIPTION	COLOUR
PL2387	Twine Kuralon 20/60ply 1kg Spool	White



PRODUCT CODE	DESCRIPTION	COLOUR
PL2388	Twine Nylon 210d/12 x 250g	Brown or White



PRODUCT CODE	DESCRIPTION	COLOUR
PL2364	Twine 8 Braided Polyester with Core 2.5mm x 1kg	Blue



PRODUCT CODE	DESCRIPTION	COLOUR
PL3850	Twine PE 400/36 Black 500g Cobb	Black
PL3968	Twine PE 400/48 Black 1kg Spool	Black
PL4225	Twine PE 400/48 Black 500g Spool	Black



PRODUCT CODE	DESCRIPTION	COLOUR
RPC017	Twine Nylon Black 210d 15 X 500	Black
RPC018	Twine Nylon Black 210d 24 X 500	Black
RPC019	Twine Nylon Black 210d 36 X 500	Black
RPC020	Twine Nylon Black 210d 48 X 500	Black
RPC021	Twine Nylon Black 210d 64 X 500	Black



PRODUCT CODE	DESCRIPTION	COLOUR
RPC022	Twine Nylon White 210d 15 X 500	White
RPC023	Twine Nylon White 210d 24 X 500	White
RPC024	Twine Nylon White 210d 36 X 500	White
RPC025	Twine Nylon White 210d 48 X 500	White
RPC026	Twine Nylon White 210d 64 X 500	White



PRODUCT CODE	DESCRIPTION	COLOUR
RPC077	Snooding PE Solid Braid 3mm Rope	Orange



PRODUCT CODE	DESCRIPTION	COLOUR
RPC076	Snooding PE Solid Braid 3mm Rope	Green

WORKING TOOLS

Net Needles

Our range of net needles are stocked in a variety of different sizes from small needles of 6.5x110 for light net work right through to larger 33x310 needles for bigger purse seine nets. Supplied in the Norwegian H type (prong end) or the flat eye and tongue style.


NORWEGIAN H TYPE					
PRODUCT CODE	WIDTH (MM)	LENGTH (MM)			
PL1516	6.5	110			
NET019	6.5	130			
PL1503	8.5	130			
PL1520	10	110			
PL1510	10	170			
NET020	10	200			
NET022	14	200			
PL2554	16	240			
NET024	20	175			
NET025	20	250			
NET026	27	200			
PL1513	27	250			
PL1521	32	250			
NET029	33	310			




FLAT EYE AND TONGUE						
PRODUCT CODE	WIDTH (MM)	LENGTH (MM)				
PL1504	7.5	150				
NET021	12	130				
PL1505	17	172				
PL1501	20	170				
PL1507	23	200				
PL1508	34	250				

Rope and Steel Splicing Tools

Seamaster, a leading provider in the maritime industry, offers a comprehensive range of high-quality rope and steel splicing tools tailored to meet the diverse needs of professionals working with different strand sizes. With a strong focus on innovation and precision, Seamaster offers a line of cutting-edge splicing tools that guarantee efficiency, durability, and safety in every operation.



PRODUCT CODE	DESCRIPTION	HANDLE	A (MM)	В (ММ)	C (MM)
NET015	Rope Splicing FID Stainless Steel	Nylon	170	24	
NET045	Rope Splicing FID Stainless Steel	Nylon	170		
NET016	Rope Splicing FID Stainless Steel	Wood	280	32	
NET017	Rope Splicing FID Stainless Steel	Nylon	305	33	
NET018	Rope Splicing FID Stainless Steel	Nylon	385	43	
NET062	4 FIDs will splice double braid from 4mm to 12mm and 3 strand to 20mm	Stainless Steel		4, 5.5, 7.5, 10	
PL1451	Steel Splicing	Chrome Steel Hardened Tip	310	28	20
NET087	Steel Splicing	Chrome Steel Hardened Tip	350	38	25



Seamaster is committed to ensuring safety comes first in the marine, aquaculture, and fishing industries. Our products help keep you safe and reduce the risk of maritime-related hazards.

We offer an array of durable easy-use personal safety products designed to withstand the harshest environments.

GENERAL SAFETY EQUIPMENT

We can supply all marine safety equipment whether it is a survey requirement to keep your crew safe on board a commercial vessel or you and your family while enjoying recreational boating.



SFT037



SFT050

Lifebuoy

2.7kg

SOLAS Approved



SFT080

Lifebuoy

SFT124

and Smoke

PCMOB2

4kg

SOLAS Approved



SFT065

Lifebuoy Light LED

SFT143

Pains Wessex

Line Thrower 250

Nuova Rade



SFT081

Lifebuoy

Light

Lalizas

SFT096

Rocket for

Replacement

Line Thrower 250

Horseshoe Lifebuoy
LHT095
Lifebuoy Light Comet L90

	#Sh	
- 1		
6	(5)	

Comet Lifebuoy Light





SFT082

Liaht

SFT192

Alkaline

Life Jacket Light

Daniamant W4-A

Bracket to Suit

Lalizas Lifebuoy

LHT095	BHW792
Lifebuoy Light Comet L90	Bracket to Suit Comet L90 Lifebuoy Light
SFT036	SFT084
Poly Flare Container Small	Poly Flare Container Large

|--|

SFT010PKTBOM

Marine Safety Pod

with Vertical Holder








SOLAS Reflective Tape 50mm x 45.7m Full Roll

SOLAS Reflective Tape 50mm Per Metre Galvanised Bucket



FLARES

Shape Cone

Required by both commercial and most recreational vessels alike, we recommend and supply the Pains Wessex range of distress signals. All signals, built so SOLAS specifications are designed to work in the freezing temperatures of the Southern Ocean, all the way to the warmth of the tropics – even after being immersed in water.

- Rocket flares eject a red parachute up to 300m high which burns for 40 seconds.
- Smoke flares emit a bright orange smoke, helpful for location and determining wind direction during daylight hours.
- Red hand flares burn brightly for 60 seconds, allowing rescuers to pinpoint location by day or night.



EPIRB

The ACR 2842 Global Fix Pro 406 is a category I automatic release EPIRB. An automatic release EPIRB is perfect for mounting in an open, out-of-the-way place like the top of a hard top. Automatic, or category I EPIRBs, are designed to be activated when the unit is submerged in water. You can also manually activate the 2842 by flipping the main switch while it is inside or outside of the HydroFix housing or being submerged in water when removed from the housing.





Orange Winter Freezer Boot

SIZE: 7-13



PL3797

Orange Winter Freezer Boot

SIZF: 7-13



SFT115

GLOBALFIX PRO 406 EPIRB AUS GPS Auto float free

LIFE JACKETS

An approved life jacket must be provided for each person on your vessel when out on the water. In Tasmania, it is compulsory that you wear your life jacket at all times on any motorboat or motor propelled boat under six metres in length whilst underway. A life jacket is also compulsory for any lightweight craft including kayaks, canoes, paddle boards & yacht tenders. Life jackets must be made to Australian Standard AS4758.1.



PL1307

Life Jacket Axis Child 12-25kg PFD100 Yellow + Red



PL1310

Life Jacket Inflatable Automatic Yoke Axis 150 PFD 1 Red + Grey



PL1311

Life Jacket Inflatable Offshore Manual Yoke AXIS PFD 1 Red



PL1312

Life Jacket Inflatable Spare Gas Cylinder 33g Kit



PL1316

Life Jacket Axis Adult Large 70kg+ PFD1

Yellow + Red



PL1317

Life Jacket Axis Child 10-15kg PFD100 Yellow + Red



SFT130

Life Jacket Axis Junior 25-40kg PFD100 Yellow + Red



SFT039

Life lacket Solas & Coastal Orange



PL1320

Life lacket Whistle Pealess Orange



PL1321

Life lacket 40ka BLA Yellow



PL3045

Life Jacket PFD Axis Manual Inflation Waist Belt 100



PL3711

Life lacket AXIS Offshore Pro Hammar 150 **Automatic Black**



PL3802

Auto Inflate Axis Re-Charge Kit For PFD Yoke



PL4222

Life Jacket PFD Hammer MSEA 150N With Harness Blue



SFT144

Stormy Life Vest Small



SFT145

Stormy Life Vest Medium



SFT146

Stormy Life Vest Large



SFT147

Stormy Life Vest Red





Stormy Life Jacket

Small

Red



Stormy Life Jacket

Medium

Red



Stormy Life Jacket

Large

Red



Red



SFT152 SFT153 Stormy Life Jacket XΙ XXL



Stormy Life Jacket Red



SFT102







Axis Pilot Jacket PFD Manual Small Red





SFT104 Axis Pilot Jacket PFD Manual XLRed

SFT105 Axis Pilot Jacket PFD Manual XXL Red

SFT106 Axis Pilot Jacket PFD Manual XXXL Red



SFT108



SFT110



SFT107 Axis Pilot Jacket PFD Automatic Small Red



Axis Pilot Jacket PFD Automatic Large Red

Axis Pilot Jacket PFD Automatic XL Red

SFT111 Axis Pilot Jacket PFD Automatic XXL Red

SFT112 Axis Pilot Jacket PFD Automatic XXXL Red













SFT116 Crewfit Sport Yoke PFD 165N Navy



Manual

Blue

SFT131 Axis PFD100 Junior Small 15-40kg Yellow + Red

SFT120 Axis PFD100 Adult Medium Yellow + Red

SFT121 Axis PFD100 Adult Large Yellow + Red

SFT122 Axis PFD100 Adult XL

Yellow + Red













SFT169 Ultra Raider PFD Level100 Junior

Yellow + Red

SFT212 Ultra Raider PFD Level100 Small Yellow + Red

SFT166 Ultra Raider PFD Level100 Medium Yellow + Red

SFT167 Ultra Raider PFD Level100 Large Yellow + Red

SFT168 Ultra Raider PFD Level100 XLarge Yellow + Red

SFT210 Ultra Raider PFD Level100 XXLarge Yellow + Red











SFT211

Ultra Raider PFD Level100 XXXLarge Yellow + Red

SFT117 PFD MSEA Hammer Hydrostatic Workvest 150N

Inflatable Yoke Red

PFD Burke Yoke Manual

SFT119 PFD Burke Yoke Auto

SFT170

Ultra Auto Inflating Yoke Level 150

SFT178 Ultra Manual Inflating Yoke Level 150

HYDROSTATIC RELEASE UNITS FOR LIFE RAFTS

We stock and recommend the Hammar range of Hydrostatic Release Units (HRU's). Designed to fit life rafts of all shapes and sizes, they are made of glass fibre reinforced nylon for strength and to prevent corrosion. Hammar HRU's require no servicing, maintenance, or spare parts, you simply install a new one every two years and dispose of the old one. Hammar HRU's are 97% recyclable. Two models are available for raft capacities between 4-Man to 12-Man and 12-Man and over.

LRSMREL24 Hydrostatic Release Unit (HRU) for Small Rafts COLOUR: Green	LRSMREL01 Hydrostatic Release Unit (HRU) for Large Rafts COLOUR: Yellow		
	3.11.13.10.11		

13 FISH PEN & MOORING EQUIPMENT

- > Bird Net Stands
- > Anchors for Mooring Sytems
- > Marine Markers
- > Mooring Blocks
- > Grid Floats
- > Airfoss Mortality Removal Unit
- > Net Weights and Diverless Net Weight Hooks
- > Quadrants
- > Shackles and Chain
- > Mooring Grid System Ropes
- > Stanchions
- > Tow Floats
- > Thimbles

We have a track record second to none for designing, specifying, assembling and managing the installation of moorings from single point assemblies to large scale, multi-pen grid systems.

We custom specify mooring systems to particular customer requirements such as locations, sea state and weather parameters working with long term engineering partners we complete a detailed analysis of maximum loads and performance requirements. The experience we have built over many years in deploying mooring systems and monitoring their performance enables us to offer customers total peace of mind.

BIRD NET STANDS

Bird net stands are the centre support frames for circular, square or rectangle fin fish nursery and grow out pens. They are proven designs from High Density Polyurethane (HDPE) with polystyrene (EPS) filled base and support netting off the water allowing the pen to be worked on without interference whilst keeping birds and predators out. Custom designed, we work with you to provide the best solution for the environment, the size and shape of the pen.

- > Proven designs, custom to suit requirements
- > Durable in harsh environments
- > Pre-made in-house and constructed onsite







ANCHORS FOR MOORING SYSTEMS

We primarily recommend and supply patented Stingray anchors. Jeyco is the originator of the world's most efficient drag embedment anchor - the Stingray. Conventional wisdom states that the heavier an anchor and chain, the better the holding power will be. Jeyco reject this idea, maintaining that good design will out-perform dead weight. The Stingray represents the culmination of years of research and development by recognised experts in the field. The result is an anchor that delivers a performance to cost ratio that other anchors find extremely difficult to match.


Stingray anchors are made in several different styles based on the application. For example, the longline version has been designed to pack flat for assembly on site, reducing freight costs considerably. A Stingray anchor can be assembled in seconds, without any special tools being required. Other styles are designed to take account of different application specific requirements.

We can also supply any type of anchor as required. We have supplied many common plough anchors which can be bolted together or fully welded.





	HOLDING POWER				
WEIGHT (KG)	SAND (TONNES)	MEDIUM CLAY (TONNES)	SILT (TONNES)		
10	2.39	1.85	1.34		
25	4.95	3.83	2.77		
50	8.59	6.65	4.80		
75	12.03	9.09	6.57		
100	14.91	11.54	8.34		
150	20.58	15.93	11.51		
175	23.26	18.01	13.01		
250	30.89	23.92	17.27		
375	42.64	33.01	23.84		
500	53.60	41.50	29.97		
750	73.99	57.28	41.37		
1000	93.00	72.00	52.00		
1500	128.37	99.39	71.78		
2000	161.36	124.93	90.22		
3000	222.74	172.44	124.54		
4000	279.98	216.76	156.55		
5000	334.32	258.83	186.93		



MARINE MARKERS

Corner markers are most commonly used to mark the corners of aquaculture leases. They are rotationally moulded from virgin UV stable HDPE which provides durability and longevity. With the availability to produce the markers in a variety of colours we can produce a range of cardial markers as per the IALA navigational requirement.

The markers have concrete ballast which keeps them upright. Mooring equipment can be supplied with the markers.

- > Rotationally moulded
- > Durable
- > Range of colours available e.g. yellow, red, green and white
- > UV stable







Spar Markers

Designed and manufactured at Seamaster, the Spar Marker can be used as an aquaculture lease corner marker, navigational aid or other marker. They meet the IALA requirements.

Specifically designed for the harsh environment of the southern waters of Tasmania, the markers are 6 metres long and made from 630mm diameter HDPE pipe. The markers are fully sealed without counterweight and are foam filled with internal radar reflection. The mooring attachment is configured so that the mooring rope ties directly to the steelwork at the bottom of the marker, eliminating thimbles, shackles, splicing and corrosion through dissimilar metals. The markers are installed with a "Y" bridle to make installation and adjustment easy (The "Y" bridle can be supplied with the marker or plan of the bridle will be supplied). The markers rely on a taught mooring line to keep it upright with the upward force of buoyance maintaining the line, which provides consistent fixed positioning, without swing on the mooring.


Spar Markers can be adapted as Cardinal Markers for navigation purposes and painted any colour and haa internal radar reflectors which is highly visible on radar. Spar Markers can be supplied with or without solar powered lights. Lights can be supplied in a variety of colours and flash patterns along with GPS trackers to ensure position is maintained. Day shapes and crosses with reflective strips can also be supplied as required.

Features

- > Minimal maintenance
- > Maintain an accurate GPS position once set
- > Simple and robust
- > Can be any colour, light and shape configuration
- > GPS monitored
- > Radar detected
- > UV stable

Additional Features/Accessories

- Powder coated aluminium cross or required IALA shape
- > Sealite or Carmanah light
- > GPS ability
- > Mooring bridle (spliced)
- > Mooring block can be supplied if required



Ocean Spar Markers

The Ocean Spar is a variation of the spar marker and is suited to sites that have extreme high energy, large swell and tidal. The ocean spar marker has 6 metres of 630mm pipe as flotation and an additional 4 metres of 315mm pipe as the light and mark post. This allows for the entire 6 metres of 630mm pipe to be submerged with only the 315mm pipe rising above the surface. This is suited to sites with large swell and/ or large tidal variation. It is recommended to use a mooring of at least 2.5 tonnes in water weight (5 tonne concrete block).

Spar Markers can be adapted as cardinal markers for navigation purposes and painted any colour. They have internal radar reflectors that is highly visible on radar. Spar markers can be supplied with or without solar powered lights. Lights can be supplied in a variety of colours and flash patterns. Lights can also come with GPS trackers to ensure position is maintained. Day shapes and crosses with reflective strips can also be supplied as required. They meet the IALA requirements.

Features

- > Minimal maintenance
- > Maintain an accurate GPS position once set
- > Simple and robust
- > Can be any colour, light and shape configuration
- > GPS monitored
- > Radar detected
- > UV stable
- > For very exposed sites or sites with a large tidal rise/fall

Additional Features/Accessories

- > Powder coated aluminium cross or required IALA shape
- > Sealite or Carmanah light
- > GPS ability
- > Mooring bridle (spliced)
- > Mooring block can be supplied if required



MOORING BLOCKS

The concrete mooring block range is available in various sizes and configurations with weights ranging from 500kg to 5 tonnes and can be custom-made to suit size, weight and shape. The two common configurations are wedge blocks and limpet blocks. Both are intended for aquaculture applications where the load is applied from one direction.

We manufacture 3 tonne and 5 tonne wedge concrete blocks, along with sourcing blocks to be manufactured close to site to reduce cost of freighting to sites.

Custom design moulds for concrete mooring blocks are also available upon request.

- > Made with 30mpa concrete
- > 38mm bar used for staples






PRODUCT CODE	DESCRIPTION	WEIGHT
MRH190	Concrete Mooring Block - wedge	3 tonne
MRH191	Concrete Mooring Block - wedge	5 tonne
MRH341	Concrete Mooring Block - H	5 tonne
MRH342	Concrete Mooring Block - limpet - staple bar	4.5 tonne

GRID FLOATS

Seamaster in-house manufactured grid floats are designed and created to cope with the harsh environment of the Tasmanian waters. The 1500 litre, 2600 litre and 4200 litre displacement grid floats are rotationally moulded from a UV stabilised HDPE 8mm thick wall and backed with a further polyurethane of 10mm for added strength. The cylindrical design with coned ends softens movement and reduces drag. The grid floats have a fabricated centre to allow for removable steel work, for ease of exchange of hardware.

- > Hollow float with 5 PSI positive pressure
- > EPS filled float
- > 144L oyster float
- > 290L mussel float
- > 1500L grid float
- > 2600L grid float
- > 4200L grid float
- > Other sizes available on request
- > Variety of colours available on request
- > Removable hot dip galvanised steel core
- > 9.5t WWL shackles fit the top
- > 17t WWL shackles fit the bottom





AIRFOSS - MORTALITY REMOVAL UNIT

Seamaster designed and manufactured Airfoss units are a robust system for the removal of mort's from sea pens. Timely removal of mortalities is not only good husbandry but also reduces predator activity.

The Airfoss unit sits at the bottom of the net, mort's fall into the collector pan and pressured air is used to form a vortex to air lift the mort's back to the surface for removal to ensure clean pen environment and live fish health.

Standard Airfoss units comes with the option of up to 400kg ballast within the collector pan, along with customer required air hose fittings.

- > Rotationally moulded with HDPE
- > Telescopic intake funnel, adjustable to suit fish size
- > Steel shot used as ballast to maximise in water weight
- > Built-in sparger for air diffusion
- > Robust design with three lifting eyes
- Accommodates 200mm discharge hoes, 1/2" or 3/4" BSP air inlet



NET WEIGHTS AND DIVERLESS NET WEIGHT HOOKS

The diverless net weight hook is a system used for attaching net weights to nets used in sea pen farming. The hooks can be used with many different styles and weight of net weights to virtually any net depth. The system makes it possible to attach net weights to the base perimeter of a net from the surface without using divers or cameras to install or remove net weights. The hooks can be configured so that the weights are attached close to the net or spaced away from the net. By using the hooks, the full weight of the net weight is supported by the net and not shared with the fish pen, making for more efficient use of the weight and in some cases allowing for smaller weights to be used as compared with other system.

Features

- > Simple robust design
- > Easy to use
- Supplied with all necessary rigging, with or without net weights
- > Commonly used with weights ranging from 100 to 300kg
- A larger version has been trialled for cone nets using a 3,500kg weight attached at 55m depth

Additional Features/Accessories

- > Supplied with necessary colour coded ropes cut to length and spliced
- Can be supplied with net weights








QUADRANTS

The quadrant is used in grid mooring systems as the intersection where ropes join. Traditionally chain plates have been used for this purpose. Quadrants serve the same function as chain plates with several advantages over chain plates by reducing splicing and hardware required, eliminates dissimilar metals, reducing corrosion and allows for easy adjustment of ropes, no need to splice on site. Quadrants are currently available in 3 sizes depending on the size of grid and environmental conditions of the site.

- > Made from hot dipped galvanised steel
- > All ropes tie to the quadrant rather than shackle.
- > Hundreds in use for up to 13 years with no failures





SHACKLES AND CHAIN

Shackles

We can supply any type of shackle up to 85T WLL. The most common shackles we supply are hot dipped galvanised screw pin bow Grade S and comply with the requirements of AS 2741. Mill certificates are available and TUV or SGS reports are available upon request for a minimal added charge. Custom shackles can be supplied but require a minimum quantity and extra costs for moulding.



Rated Screw Pin Bow Shackles

PRODUCT CODE		SWL (TONNES)	MBL (TONNES)
MRH166	9.5T Wide Body	9.5	57
MRH136	12T	12	72
MRH137	13.5T	13.5	81
MRH138	17 T	17	102
MRH350	25T Wide Body	25	150
MRH002	25T Extra Long Wide Body	25	150
MRH143	35T	35	210
MRH305	55T Wide Body	55	330



Chain

We can supply a large variety of chain ranging from 20mm to 50mm diameter (or bigger on request). We can also supply grade 2 and grade 3 chain in stud link or studless, with enlarged end links if required. Chain can also be supplied in lengths as required. We can get custom lengths from 1m to 55m in many different sizes. Commonly supplied (but not limited to) mooring chains are 24mm, 32mm, 36mm, 40mm and 50mm, which are all available in stud link or open link.

Mooring Chain Features

- > Regular proof coil chain
- Manufactured from low carbon steel - can be proof tested to at least twice the maximum load recommended for normal use
- Not suitable for industrial lifting purposes
- Application: manufacturing, marine and agricultural industries





PRODUCT CODE	DESCRIPTION			
CHN004	Chain Studless U2 32mm x 27.5m			
CHN027	Chain Studless U2 32mm Per Metre			
CHN046	Chain Stud Link U2 50mm x 27.5m Tar coated			
CHN047	Chain Stud Link U2 40mm x 27.5m Tar coated			
CHN081	Stud Link U2 40mm Tar coated Per Metre			
CHN082	Stud Link U2 50mm Tar coated Per Metre			
CHN078	CHN078 Enlarged End Link			
Sample chain shown above. More options available on request.				

MOORING GRID SYSTEM ROPES


We stock a range of 3, 8 and 12 strand ropes but we recommend 8 strand ropes for fish pen mooring applications. We generally supply Powerdan, Powertex and Powermix ropes ranging from 32mm to 112mm diameter, predominantly in 8 strand construction. We supply rope in coil form (custom lengths available) or in finished form, measured and spliced ready to go in the water. Common sizes we use (but not limited to) are: 40, 44, 48, 50, 56, 64, 72, 85 and 100mm.

The tables below show some common 8 strand sizes we supply. Many other diameters are available and coil lengths can be customised to reduce waste. Colour can also be customised to suit requirements.

Powermix

High strength polyolefin and polyester yarn, providing high abrasion resistance. Powermix is a sinking rope.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	COLOUR
ROP532	28	220	White
ROP533	32	220	White



Powerdan

Made from high quality polyolefin fibre, this rope offers great tenacity and high strength.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP389	22	220	8,200
ROP253	32	220	17,600
ROP274 BLACK + YELLOW	32	250	
ROP529	36	250	22,100
ROP254	40	220	27,500
ROP530	40	250	27,500
ROP531	48	250	38,100
ROP258	52	220	45,200
ROP333	64	220	65,000

Powertex

High strength polyolefin fibre and specially crafted for improved breaking strength and lower elongation.

PRODUCT CODE	DIAMETER (MM)	COIL LENGTH (M)	BREAK STRENGTH (KG)
ROP317	28	250	17,400
ROP507	32	250	22,700
ROP371	38	250	31,800
ROP293	44	250	41,700
ROP519	50	250	52,200
ROP296	56	250	65,000
ROP508	64	250	84,000
ROP516	72	250	106,000
ROP518	85	250	146,000
ROP517	100	250	200,000

STANCHIONS

Seamaster manufacture a range of stanchions, which can be adapted to circular, square or oblong pens for grow out, or nursery pens for a range of species. Pens maybe adapted to most localities from inshore sheltered waters to exposed waters – either tropical or icy waters of the south. Our stanchions are rotationally moulded from HDPE to withstand harsh environments.

- > HDPE rotationally moulded
- > Robust
- > Suitable to warm or cooler waters
- > Variable pipe sizing and handrails
- > 30m pens up to 120m pens
- > Circular, square or oblong pens
- > Stanchion hook options for net attachment

PRODUCT CODE	INNER PIPE (MM)	OUTER PIPE (MM)	HANDRAIL (MM)
	315	315	110 or 125
N#44.5	355	355	110 or 125
MK16	400	355	110 or 125
	400	400	110 or 125
	355	355	110 or 125
1,11/40	400	315	110 or 125
MK18	400	355	110 or 125
	400	400	110 or 125
MK20	450	450	110 or 125
	400	400	110 or 125
	450	355	110 or 125
MK22	450	450	110 or 125
	500	500	110 or 125
	315	315	110 or 125
MK24	250	250	110 or 125





TOW FLOATS

Originally designed for the tuna industry in Port Lincoln SA, the Seamaster-manufactured tow float continues to be a staple for towing pens within Australia and Japan. The floats assist with the flotation of the front tow edge of a pen under tow to reduce the front edge bull nosing under the surface and reducing the risk of losing fish under tow.

Tow floats are rotationally moulded from HDPE and filled with urethane which assists with strength, reduces risk of the void filling with water and sinking if the float wall is compromised.

Colours commonly used are yellow, orange and black.





CGE030		
WEIGHT (KG)	LENGTH (MM)	DIAMETER (MM)
21	750	900

CGE031		
WEIGHT (KG)	LENGTH (MM)	DIAMETER (MM)
110	1250	1100



	CGE064	
WEIGHT (KG)	LENGTH (MM)	DIAMETER (MM)
110	180	1300

THIMBLES


We use high quality marine thimbles with high sides to protect ropes from chafing with chain or a shackle.

The table below shows some common, heavy duty cast, semi-enclosed thimble sizes we use in our mooring systems. We can also supply tubular thimbles, wire and fibre rope thimbles and custom thimbles as required.





PRODUCT CODE	SIZE (MM)
MRH183	32-40
MRH290	42-46
MRH184	48-56
MRH185	56
MRH186	60-66
MRH187	68-72
MRH188	76-80
MRH180	80
MRH310	88-102




Seamaster is proud to partner with Hexcyl Systems for the distribution of Hexcyl products in South Australia and Tasmania.

Hexcyl's oyster baskets and Long Line Oyster Farming Systems are specifically engineered to excel in the most challenging and demanding environments worldwide.

Hexcyl's oyster baskets and Long Line Oyster Farming Systems are specifically engineered to excel in the most challenging and demanding environments worldwide.

THE HEXCYL PRO 25 LITRE BASKETS & PRODUCTS

The Hexcyl 25 litre baskets offer a durable and versatile product for farming oysters, scallops, and other molluscs in the marine environment. Available in five different mesh sizes, Hexcyl baskets are designed to withstand rough conditions while promoting optimal stock growth and conditioning. Australian made and designed, the Hexcyl 25 litre baskets offer a durable and versatile product for farming oysters, scallops, and other molluscs in the marine environment. Available in five different mesh sizes, Hexcyl baskets are designed to withstand rough conditions while promoting optimal stock growth and conditioning.





SOME OF THE UNIQUE FEATURES AND BENEFITS OF HEXCYL BASKETS AND LONG LINE FARMING INCLUDE:

Durability

The FlipFarm system permanently attaches the baskets to the lines which are 24mm polypropylene rope, tested for 40 years in the New Zealand Greenshell mussel industry. The opportunity for gear loss or damage is significantly reduced. Maintenance on gear is almost eliminated.

Customizability

Hexcyl oyster baskets and long line farming systems can be customized to meet the specific needs of individual farmers, allowing them to optimize their shellfish growing operations.

Versatility

Hexcyl systems can be used in a wide range of environments, from low energy to high-energy tidal areas, making them suitable for different types of shellfish farming.

Improved water flow

The unique design of Hexcyl baskets and farming systems allows for improved water flow and circulation, which can lead to better growth rates and higher yields.

Easy to use

Hexcyl systems are easy to install and maintain, which can save farmers time and money.

Eco-friendly

The use of Hexcyl systems can reduce the impact of shellfish farming on the environment, as they are made of recyclable materials and can be used for multiple growing cycles.

Overall, Hexcyl oyster baskets and long line farming systems offer a range of benefits that can help shellfish farmers to optimise their operations and achieve higher yields in a sustainable way.

HEXCYL PRODUCTS & MESH

Hexcyl PRO 25 litre Baskets and Products

Hexcyl 25 litre baskets offer a durable and versatile product for farming oysters, scallops and other molluscs in the marine environment. Available in five different mesh sizes, Hexcyl baskets are designed to withstand rough conditions while promoting optimal stock growth and conditioning. Australian designed and made.















3mm Mesh 25L Basket	
15pc/box 360pc/pallet	

HEX001





HEX003



FSH0067

HEX005 20mm Mesh 25L Basket 15pc/box 360pc/pallet

PL3687

Hexcyl suspension

Clip 9mm

105pc per Box













FSH0066 Hexcyl suspension Clip 10mm

105pc per Box

Post riser Clip Designed to suit 13mm wear reduction sleeve. 400pc per Box

FSH0693

PL4034 Hexcyl Retro

Hexcyl Retro suspension Clip Suits 9mm oyster tube. Ovster Tube. 150pc per Box

Oyster Tube suspension Clip 10.8mm Overall Suits 10 - 11.5mm Diameter 150pc per Box 500m Roll

FSH0118

FSH0119 Wear Reduction Sleeves 200mm (long) X 13mm ID

500pc per Bag

Oyster Mesh and Socks

Our HDPE oyster mesh is a hard-wearing and proven mesh for use in marine and on-land applications. UV stable and supplied in 30m rolls in five mesh sizes.





x 1mtr high



PL1536 / PL2609 Oyster Mesh Diamond HDPE

6 x 6mm (9mm diagonal) x 93cm high 30m Roll



PL1537 / PL2608

Oyster Mesh Diamond HDPE 8 x 8mm (11mm diagonal) x 93cm high 30m Roll



PL1533 / PL1534

Oyster Mesh Diamond HDPE 10 x 10mm (14mm diagonal) x 93cm high 30m Roll



MSH003

Oyster Mesh Diamond HDPE 14 x 14mm (18mm diagonal) x 93cm high 30m Roll



MSH004

Oyster Mesh 17mm x 20mm Diagonal













MSH001

Oyster Socks stretched 8mm black 80cm x 20cm sock 1000pc bale

PL2645 **Oyster Socks** stretched

2mm orange 80cm x 20cm sock 1000pc bale

MSH002

Oyster Socks 10mm black 80cm x 380cm

1000pc bale

MSH014

BNA Oyster Mesh 20mm x 20mm Square

30m Roll

MSH015

BNA Oyster Mesh $6 \text{mm} \times 6 \text{mm}$ Square

30m Roll

MSH016

BNA Oyster Mesh 10mm x 10mm Square





MSH017

BNA Oyster Mesh 16mm x 16mm Square

30m Roll



MSH018

BNA Oyster Mesh 20mm x 20mm Square

Per Metre



MSH019

BNA Oyster Mesh 6mm x 6mm Square

Per Metre



MSH020

BNAOyster Mesh 10mm x 10mm Square

Per Metre



MSH011

BNA Oyster Mesh 16mm x 16mm Square

Per Metre

MUSSEL ROPE

Donaghys complete range of spat collection and crop ropes cover every area of mussel farming supplying high yields and high catch and retention rates. Donaghys rope coupled with a continuous long line system are used for commercial mussel hatcheries where mussels are raised from seed and nurtured under strict quality and environmental conditions, then transferred to suspended lines in deep water. This vertical integration program ensures a sustainable and reliable supply of mussels.



Open Water Crop Rope

Designed specifically for open water mussel farming

18 months development and field trials

Special Aqua trim reduces biofouling

'Fibtrim' allows multiple attachment points

Highest loop density available

Fully balanced construction



Aqualoop Crop Rope

Cost effective brother to open water

Ideal for high tidal areas

Special Aqua trim reduces biofouling

'Fibtrim' allows multiple attachment points

Fully balanced construction



Super Xmas Tree Rope


Ideal for sheltered waters


Straight trim reduces crop damage during harvest

Economical construction

High quality UV stabilised yarn

Fully balanced construction





Seamaster supply a large range of storage and transport solutions for the seafood, viticulture, agriculture, and domestic industries.

We have been supplying rotationally moulded, durable, fully insulated storage, processing, and transport bins to Australia's largest aquaculture companies for almost 15 years.

Built to Australian Food Grade Standard 2070:1,8, and Potable Water Standards AS4020; these bins are UV stabilised and filled with urethane to achieve excellent thermal properties.

Designed for fork truck access and stackable with or without the lid, these bins are suited to a wide range of applications.

COLLAPSIBLE BINS

Our fully collapsible Flexi Bin range allows full access or half access to two opposing sides. There are no mechanical catches, which allows it to be safely used and easily cleaned. The pallet base and walls are steel reinforced making it very robust.







Flexi Bin - 1m³

WIDTH: 1160mm
HEIGHT: 1100mm
WEIGHT: 105kg

FORKLIFT ACCESS: 2 way

OPTIONAL: Lid

High Sided Flexi Bin 1.5m3

LENGTH: 1160mm WIDTH: 1160mm HEIGHT: 1610mm WEIGHT: 120kg

FORKLIFT ACCESS: 2 way

OPTIONAL:Lid, Forklift Rails

Tote Box - 370L

LENGTH: 1140mm (open and collapsed) WIDTH: 570mm (open and collapsed) HEIGHT: 570mm (open) 225m (collapsed)

WEIGHT: 16.5kg

FORKLIFT ACCESS: 2 way

INSULATED BINS

Seamaster supplies a range of insulated bins, made in house. These are robust with 6mm PE, insulated with polyurethane foam walls for optimum temperature control.

Features

- Rotational moulded lowdensity polyethylene (LDPE) construction to withstand the harshest of environments
- Complies with Australian Food Grade Standard 2070:1,8 and Potable Water Standards AS4020 Both bin and lid are insulated for maximum effectiveness and consistent temperature during use
- > Available in a range of colours
- > Multiple uses fin fish, viticulture, fruit, shellfish, agriculture and medical
- > Stackable, easy to clean and very low maintenance
- Option to have your company logo & asset ID number moulded into the bin and lid
- > Stackable, easy to clean and very low maintenance
- > Two 50mm OD drain bungs allow for fast, efficient draining
- > The LDPE contains a fully formulated UV stabilisation package to UV8
- > Available in 680L and 1000L





Insulated Bin with Lid CAPACITY: 680L WEIGHT: 70kg Refer to manufacturing colour chart for all available colours.

BIN680		
	External Dimensions	
1230mm L	1030mm W	870mm H
Internal Dimensions		
1160mm L	970mm W	635mm H



Insulated Bin with Lid CAPACITY: 1000L WEIGHT: 100kg Refer to manufacturing colour chart for all available colours.

BIN1000		
	External Dimensions	
1470mm L	1165mm W	860mm H
Internal Dimensions		
1380mm L	1080mm W	710mm H

To complete our offering of insulated bins, we also source a quality selection of bins from Alps Synergy, ranging in size from 40L - 1700L.

Common uses are on board boats and inland transportation for fresh fish on ice, at docks for pickling and in the processing industry for storage of chilled foods, on-board open transportation and factory floor where space is restricted.

They are constructed of high-insulated foam that helps keep product cold up to five days when properly iced and are accessible by hand pallet jack and forklift truck from two sides.

- Smooth, curved surfaces, strong proven design, heavy duty use
- > Excellent temperature consistency helps keep product cold up to five days when properly iced
- > Optional drain outlets
- > Quality polyethylene and polyurethane materials
- > Stackable with lid on or off
- > 2 or 4-way forklift entry
- > Storage: Stack up to 5 high full or 10 high empty
- > Optimal transport and warehousing sizes
- > One-piece seamless doublewalled construction with foam insulation (PUR - Polyurethane)



Insulated Fish Bin M - Series		
	External Dimensions	Internal Dimensions
PL2976 - 660L	1218mm L, 1023mm W, 813mm H	1130mm L, 933mm W, 600mm H
BIN165 - 800L	1180mm L, 1180mm W, 990mm H	1080mm L, 1080mm W, 745mm H
PL0597 - 1000L	1485mm L, 1157mm W, 1000mm H	1385mm L, 1057mm W, 770mm H
BIN166 - 1700L	2250mm L, 1160mm W, 1160mm H	2110mm L, 1020mm W, 850mm H



Insulated Fish Bin Esky S - Series		
	External Dimensions	Internal Dimensions
BIN123 - 300L	1000mm L, 740mm W, 750mm H	856mm L, 660mm W, 540mm H
BIN122 - 450L	1110mm L, 810mm W, 930mm H	925mm L, 705mm W, 710mm H



Insulated Fish Bin Esky F - Series		
	External Dimensions	Internal Dimensions
BIN124 - 100L	815mm L, 480mm W, 475mm H	680mm L, 390mm W, 380mm H
PL2660 - 120L	800mm L, 485mm W, 525mm H	690mm L, 410mm W, 440mm H
PL2661 - 200L	975mm L, 580mm W, 600mm H	830mm L, 490mm W, 490mm H
PL2662 - 220L	945mm L, 595mm W, 650mm H	810mm L, 510mm W, 540mm H
BIN126 - 350L	1170mm L, 730mm W, 695mm H	1000mm L, 620mm W, 560mm H



Replacement Bungs	
PL2825 - 60 - 350L	Bung to suit Alps 30mm OD
PL0274 - 450 - 660L	Bung to suit Alps 57mm OD
PL4075 - 800 - 1700L	Bung to suit Alps 79mm OD

NON-INSULATED BINS, BUCKETS, CRATES, TRAYS AND DRUMS

If general storage or materials and food handling solutions is what you require, Seamaster is a distributor of Nally and Viscount products. These bins are quality injection moulded products that have a reputation as a product second to none.

Features

- Cost effective solution for handling and storing a wide range of materials
- Lightweight, yet rugged enough to give long service life in tough manufacturing, engineering and food handling applications





12L Crate

LENGTH: 360mm (open)
WIDTH: 280mm (open)
HEIGHT: 190mm (open)
WEIGHT: 1.2kg
FREIGHT: Nestable

20L Crate

LENGTH: 730mm (open)
WIDTH: 300mm (open)
HEIGHT: 120mm (open)
WEIGHT: 1.7kg

FREIGHT: Nestable



40L Crate

LENGTH: 900mm (open)
WIDTH: 520mm (open)
HEIGHT: 175mm (open)

WEIGHT: 4.8kg

FREIGHT: Stackable and Nestable



200L Pallet Tote Tray

Designed to fit neatly onto an Australian Standard Size Pallet, the 300mm high walls provide containment of small or loose items. Made of recycled polymer.

LENGTH: 900mm (open)

WIDTH: 520mm (open)
HEIGHT: 175mm (open)

WEIGHT: 4.8kg

FREIGHT: Stackable and Nestable



Produce Vegie Bin

Produced for the snow pea industry in South Gippsland Victoria and ideal for wine grape harvesting minimising grape damage and juice loss. Single wall construction. 1150mm L, 1000mm W, 540mm H

CAPACITY: 400L WEIGHT: 25kg

FORKLIFT ACCESS: 2 way

on longest side

FREIGHT: Stackable and nestable

to 8 high for transport



KB 650

Developed specifically with the food industry in mind the KB 650 has unprecedented strength and smooth interior for full cleanability. Double wall construction. Option of a single skinned lid.

1165mm L, 1165mm W, 780mm H

CAPACITY: 650L **WEIGHT:** 50kg

FORKLIFT ACCESS: 4 way

FREIGHT: Stackable



Universal Bin

Comprising of a lid, bin and a base, the universal bin is more hygienic than most bins and is available in magnetic plastic for detection in food processing. The total system is stackable and breaks down to a nestable system for economical transport and storage.

1160mm L, 1160mm W

CAPACITY: 900L WEIGHT: 35-40kg

FREIGHT: Stackable and nestable



KB 1160

Developed specifically with the food industry in mind, the KB 1160 has unprecedented strength and fully cleanable. Option of single skin lid. 1165mm L, 1165mm W, 1300mm H

CAPACITY: 1160L (approx)

WEIGHT: 75kg

FORKLIFT ACCESS: 4 way

FREIGHT: Stackable







The Hopper Bin has a conical interior and 200mm square outlet with single skin slide gate as standard. Options of single skin lid, double skin lid or single skin lid with mesh insert for products that need to breathe, cannot sweat, and require the stopping of any potential contaminates.

e.g. almond roasting

1165mm L, 1165mm W, 1370mm H

CAPACITY: 980L (approx)

WEIGHT: 80kg

FORKLIFT ACCESS: 4 way

FREIGHT: Stackable



Dropside Bin

The dropside bin was developed to hold the full capacity of 1160 litres, whilst also allowing easier access to the inside of the bin through the side drop down door.

1165mm L, 1165mm W, 1300mm H

CAPACITY: 1160L WEIGHT: 75kg

FORKLIFT ACCESS: 4 way

FREIGHT: Stackable



Tri Series

A series of three bins which can be stacked to 2.4m making them ideal for road freight.

1160mm L, 1160mm W, 950mm H

CAPACITY: each bin 700L (approx)

WEIGHT: 30-40kg

FREIGHT: Stackable and nestable



Ultra Bin (1 Tonne)

The Ultra Bin was developed for the potato industry as a single skinned heavy duty bin to hold 1 tonne of product. It can be stackable up to 4 bins high whilst 2 are ideal for transport. It has 1300 litre capacity and includes a double wall at the top for added strength. A optional lid can be added to help this 2 way entrance bin to help fill a number of roles.

1160mm L, 1160mm W, 1350mm H

CAPACITY: 1300L WEIGHT: 70kg







Bin Rect IH512 - 36L			
BIN023			
BIN024			
External Dimensions			
525mm L	336mm W		
Internal Dimensions			
430mm L	272mm W		

Bin Rect II Lid Rect II	H220 - 41L H221		
BIN025			
BIN102			
External Dimensions			
520mm L	350mm W	280mm H	
Internal Dimensions			
475mm L	325mm W	275mm H	







Bin Rect IH051 - 52L			
BIN029			
BIN030			
BIN031			
BIN032			
External Dimensions			
645mm L	413mm W	276mm H	
Internal Dimensions			
597mm L 362mm W		266mm H	



Bin Rect IH060 - 32L			
BIN015	BIN015		
BIN016			
BIN020	BIN020		
BIN021			
External Dimensions			
645mm L 413mm W		210mm H	
Internal Dimensions			
597mm L 362mm W		203mm H	








Bin Rect IH306 - 22L			
BIN106 BIN107		•	
External Dimensions			
432mm L 324mm W			
432mm L	324mm W	203mm H	
1022	324mm W	203mm H	



Bin Rect IH307 - 32L Lid Rect IH308			
BIN017			
BIN022			
BIN080	BIN080		
External I	Dimen	sions	
432mm L	324mm W		305mm H
Internal Dimensions			
387mm L	286mm W		298mm H
Lid Dimensions			
438mm L 330mm H		30mm H	












Bucket Round N075 - 22L		
BIN063		
BIN064		
Lid Round Natural N073		
BIN091		













Chicken Crate Sections				
BIN130				
External Dimensions				
740mm L 522mm W 137mm H				



Drum with screw top lid - 60L			
PL0509			
External Dimensions			
630mm L	400mm W	400mm H	












Bin Rect IH539E - 200L			
PL2630			
External Dimensions			
990mm L	660mm W	470mm H	
Internal Dimensions			
770mm L	440mm W	460mm H	



Fish Bin IH065 - 55L			
BIN172			
External Dimensions			
712mm L 442mm W		293mm H	









Water Drum			
PL1143 - 20L			
PL4137 - 20L			
External Dimensions			
330mm L 280mm W			
	20L 20L Dimensions		



Water Drum			
PL1144 - 25L			
External Dimensions			
410mm L	280mm H		

PALLETS

Australian Standard Pallets







KTAF 1160 (FLAT)

Smooth flat top

1160mm x 1160mm x 150mm

2 way entry weighs 32kg

Steel re-inforced

Beam racking with locks

6 tonne static load

1.5 tonne beam racking load

Stackable

KTAF 1160 (LIPPED)

Smooth top with lipped edges

1160mm x 1160mm x 150mm

2 way entry weighs 32kg

Steel re-inforced

Beam racking with locks

6 tonne static load

1.5 tonne beam racking load

Stackable

KAFW 1160

Smooth flat top

1160mm x 1160mm x 170mm

4 way entry weighs 32kg

Steel re-inforced

Drive-in racking

6 tonne static load

1.5 tonne drive-in racking load

Stackable & conveyable







KAFWL (LIPPED)

Smooth top with lipped edges

1160mm x 1160mm x 190mm

4 way entry weighs 32kg

Steel re-inforced

Drive-in racking

6 tonne static load

1.5 tonne drive in racking load

Stackable & conveyable

KAFWV (VENTED)

Smooth top with 4 vents

1160mm x 1160mm x 170mm

4 way entry weighs 32kg

Steel re-inforced

Suitable for Blast Freezers

6 tonne static load

1.5 tonne drive in racking load

Stackable & conveyable

CSLL 1160

Smooth top with lipped edges

1160mm x 1160mm

2 way entry weighs 36kg

Steel re-inforced

Beam & drive-in racking

6 tonne static load

1.5 tonne beam racking load

Stackable







KPT 1160

Castellated flat top

1160mm x 1160mm x 180mm

2 way entry weighs 42kg

Steel re-inforced

Beam & drive-in racking

6 tonne static load

1.8 tonne beam racking load

Stackable

KDF 1160

Castellated flat top & bottom

1160mm x 1160mm x 180mm

2 way entry weighs 48kg

Steel re-inforced

Drive-in racking

6 tonne static load

2 tonne drive-in racking load

Stackable & conveyable

CAD 1170

Smooth flat top

1170mm x 1170mm x 180mm

4 way entry weighs 31kg

Steel re-inforced

Beam and drive-in racking

6 tonne static load

1.0 tonne drive-in racking load

Stackable & suits AGV

Reel Pallets





KRP 859

Scalloped top

Suits 660mm diameter reel

800mm x 590mm

200mm height

10kg weight2 way entry

Aluminium re-inforced

Rebates for manual lifter

KRP 1100

Scalloped top

Suits 1000mm diameter reel

1090mm x 1090mm

250mm height & 31kg weight

2 way entry

Steel re-inforced

Locking lugs for Beam racking

Stackable & includes handgrips





KRP 1080

Scalloped top

Suits 800mm diameter reel

1010mm x 820mm

270mm height

22kg weight

2 way entry Steel re-inforced

Locking lugs for Beam racking

KMRP

Multiple scalloped top

Suits 1 x 750mm diameter reel

& 2 x 300mm diameter reels

1000mm x 790mm

200mm height

15kg weight

4 way entry

Aluminium re-inforced

European Standard Pallets







KTF 1208 (FLAT)

Smooth flat top

1200mm x 800mm x 150mm

2 way entry weighs 21kg

Steel re-inforced

Beam racking with locks

6 tonne static load

1.5 tonne beam racking load

Stackable

KTL 1208 (LIPPED)

Smooth top with lipped edges

1200mm x 800mm x 150mm

2 way entry weighs 21kg

Steel re-inforced

Beam racking with locks

6 tonne static load

1.5 tonne beam racking load

Stackable

KTF 1210

Smooth flat top

1200mm x 1000mm x 150mm

2 way entry weighs 25kg

Steel re-inforced

Beam racking with locks


6 tonne static load

1.5 tonne beam racking load

Stackable

Other Pallet Sizes







RB 730

Shape moulded top

730mm x 880mm x 150mm

4kg weight

4 way entry

Single skin - no reinforcement

Nestable

KB 600

Smooth flat top

600mm x 1160mm x 150mm

2 way entry weighs 15kg

Steel re-inforced

Beam Racking with locks

0.5 tonne static load

0.5 tonne beam racking load

AB 760

Smooth flat top

760mm x 1050mm x 150mm

2 way entry weighs 21kg

Steel re-inforced

Beam racking with locks

0.5 tonne static load

0.5 tonne beam racking load

Stackable







CCLL 7563

Smooth flat top

750mm x 625mm x 130mm

9kg weight

2 way entry

Aluminium re-inforced

Stackable

KTF 1000

Smooth flat top

1000mm x 1000mm x 150mm

21kg weight

2 way entry

Steel re-inforced

3 tonne static load

Stackable

KTL 1220

Smooth top with lipped edges

1220mm x 1220mm x 155mm

2 way entry weighs 35kg

Steel re-inforced

Beam racking with locks

6 tonne static load

1.5 tonne beam racking load

Stackable







KTF 1220

Smooth flat top

1220mm x 1220mm x 155mm

2 way entry weighs 34kg

Steel re-inforced

Beam racking with locks

6 tonne static load

1.5 tonne beam racking load

Stackable

KTL 1240

Smooth top with lipped edges

1240mm x 1240mm x 155mm

2 way entry weighs 37kg

Steel re-inforced

Beam racking with locks

6 tonne static load

1.5 tonne beam racking load

Stackable

CE 1320

Smooth flat top

1320mm x 1200mm x 180mm

4 way entry weighs 39kg

Steel re-inforced

Drive-in racking

6 tonne static load

0.6 tonne drive-in racking load

Stackable & conveyable

POLYBENCH

The Polybench is made of food grade polyethylene. It is ideal for storage or display with a height of 300mm. The design allows for easy wash-down cleaning and provides a safe non-absorbent surface that won't harbour dangerous bacteria. The added height allows for cleaning floors underneath, great when used for freezer storage of meat tubs. The Polybench is movable by hand pallet truck or forklift.



Polybench - 1200L


LENGTH: 1200mm WIDTH: 600mm HEIGHT: 300mm WEIGHT: 22kg

SPILL BUNDS

Designed to last, our B1100, K2IBC, B250 & K2DB utilise a steel inner membrane encased in a UV resistant polyethylene skin on their top decks. Our B250 drive in and B80 products include a steel inner frame within the body for added strength.

Features

- We have the facilities to recycle our pallets and re-use the ground down plastic.
- Don't bin old products, send them back and let us break it down as reusable powder.
- > You can also ask for recycled content in your next order.



B80 SPILL BUND


1160mm x 1160mm x 150mm

Suitable for Dexion racking

Economic bunding suitable for smaller or odd drums which require storage off the floor

80 litre sump

Internal steel frame



K2DB SPILL BUND

600mm x 1200mm x 510mm

2 Way with Forklift pockets

250 litre sump

Small footprint

Ideal for 2×200 litre drums

Will fit nicely against a wall or in an out of way location







B250 RACKING BUND

1200mm x 1200mm x 300mm

2 Way accessible

250 litre sump

Ideal for 4×200 litre drums

Internal steel frame

Can be used for both drive-in and Dexion racking

B1100 IBC BUND

1640mm x 1440mm x 900mm

2 Way Accessible

Single IBC bund

2 steel encased top decks

1100 litre sump

Nestable design helps with transport and movement

K2IBC 2 IBC BUND

2400mm x 1400mm x 500mm

2 Way Forklift pockets

Double IBC bund


4 steel encased top decks

1100 litre sump

3 drainage points

Heavy duty outer skin





Seamaster extends an exclusive invitation to discerning resellers interested in offering premium fishing gear tailored for the recreational market.

Our meticulously curated product range includes conveniently packaged pre-made rigs such as Stripey, Deep Drop, Mako Shark, and Swordfish, alongside essential items like braid fishing line, deep drop lights, alloy, and copper crimps, as well as top-tier fluorocarbon and monofilament line.

Elevate your clientele's fishing endeavours with Seamaster's exceptional quality and craftsmanship.

Partner with us and embody excellence in the fishing industry.

Join Seamaster today to embark on a journey of unparalleled quality and customer satisfaction.

Contact us at info@seamaster.au



www.seamaster.au